



Claudia Hackl-Zuccarella (Autor)

Macrophage superoxide anion production in essential hypertension and coronary artery disease patients with Type D personality

Claudia Hackl-Zuccarella

**Macrophage superoxide anion
production in essential hypertension
and coronary artery disease patients
with Type D personality**



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/7462>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



CONTENTS

ABSTRACT	I
ACKNOWLEDGEMENTS	II
TABLES	VII
FIGURES	VIII
ABBREVIATIONS	IX

1 INTRODUCTION..... 1

2 THEORETICAL BACKGROUND 4

2.1 Macrophages..... 4

2.1.1 Origin of macrophages	5
2.1.2 Classification of macrophages under inflammatory conditions	6
2.1.2.1 Classically activated macrophages (M1 phenotype).....	7
2.1.2.2 Alternatively activated macrophages (M2 phenotype)	9
2.1.3 Microbicidal activity	10
2.1.3.1 Free radicals	11
2.1.4 Sources of reactive oxygen species.....	13
2.1.4.1 Phagocytic NADPH oxidase.....	13
2.1.4.1.1 Phagocytic NADPH oxidase components.....	14
2.1.4.1.2 Activation and assembly of the phagocytic NADPH oxidase	15
2.1.4.2 Vascular NADPH oxidase	17
2.1.4.2.1 Vascular NADPH oxidase components	18
2.1.4.2.2 Activation and assembly of the vascular NADPH oxidase.....	19
2.1.5 Bacteria-killing mechanisms of reactive oxygen species.....	20
2.1.6 Clinical relevance of reactive oxygen species.....	20

2.2 Essential hypertension 22

2.2.1 Definition and classification.....	23
2.2.1.1 Total cardiovascular risk.....	24
2.2.2 Diagnostic evaluation	26
2.2.2.1 Blood pressure measurement	27
2.2.2.1.1 White-coat hypertension	30
2.2.2.1.2 Masked hypertension	31
2.2.2.2 Medical and family history	31



CONTENTS

2.2.2.3 Physical examination	32
2.2.2.4 Laboratory investigations.....	32
2.2.3 Risk factors of essential hypertension	33
2.2.3.1 Non-modifiable risk factors	33
2.2.3.1.1 Age	33
2.2.3.1.2 Gender.....	33
2.2.3.1.3 Genetics.....	34
2.2.3.1.4 Ethnicity	35
2.2.3.2 Modifiable risk factors	35
2.2.3.2.1 Overweight / obesity	35
2.2.3.2.2 Alcohol consumption	36
2.2.3.2.3 Cigarette smoking	37
2.2.3.2.4 Job strain	37
2.2.4 Treatment strategies	38
2.2.4.1 Lifestyle modifications	38
2.2.4.2 Pharmacological therapy.....	39
2.2.5 NADPH oxidase-derived superoxide anion production in hypertension	41
2.2.5.1 Animal studies	41
2.2.5.1.1 Vascular NADPH oxidase-derived superoxide anion production	41
2.2.5.1.2 Phagocytic NADPH oxidase-derived superoxide anion production... ..	45
2.2.5.2 Human studies.....	46
2.2.5.2.1 Vascular NADPH oxidase-derived superoxide anion production	46
2.2.5.2.2 Phagocytic NADPH oxidase-derived superoxide anion production... ..	47
2.3 Coronary artery disease.....	49
2.3.1 Atherosclerosis	49
2.3.1.1 Pathogenesis of atherosclerosis.....	50
2.3.1.1.1 Response-to-injury hypothesis	50
2.3.1.2 The role of monocytes / macrophages	54
2.3.1.2.1 Monocyte entry	55
2.3.1.2.2 Monocyte differentiation into macrophages	55
2.3.1.2.3 Foam cell formation	55
2.3.1.2.4 Macrophages in advanced atherosclerosis	56
2.3.1.3 Diagnosis of atherosclerosis	56
2.3.1.3.1 Carotid intima-media thickness and carotid plaque assessment	57
2.3.2 Clinical manifestations of coronary artery disease	58
2.3.2.1 Acute coronary syndrome	59



CONTENTS

2.3.2.1.1 Unstable angina pectoris	59
2.3.2.1.2 Acute myocardial infarction.....	60
2.3.3 Risk factors for coronary artery disease	61
2.3.3.1 Traditional risk factors	61
2.3.3.2 Intermediate biological risk factors	62
2.3.3.2.1 C-reactive protein.....	62
2.3.3.2.2 Cytokines	63
2.3.3.3 Psychosocial risk factors.....	64
2.3.3.3.1 Chronic psychosocial risk factors	64
2.3.3.3.2 Episodic psychosocial risk factors	67
2.3.3.3.3 Acute psychosocial risk factors.....	68
2.3.4 NADPH oxidase-derived superoxide anion production in atherosclerosis and coronary artery disease	69
2.3.4.1 Animal studies	69
2.3.4.2 Human studies.....	71
2.4 Type D personality	74
2.4.1 Construct of Type D personality	75
2.4.1.1 Negative affectivity.....	76
2.4.1.2 Social inhibition	77
2.4.1.3 Type D personality and depression.....	78
2.4.1.4 Type D personality as a determinant of psychosocial distress	79
2.4.2 Assessment of Type D personality	80
2.4.2.1 Type D scale-14	81
2.4.3 Type D personality and cardiovascular health in patients with coronary artery disease .	84
2.4.3.1 Potential biological mechanisms underlying Type D personality and poor cardiac prognosis	86
2.4.3.1.1 Dysregulation of the hypothalamic-pituitary-adrenal axis.....	86
2.4.3.1.2 Dysregulation of the autonomic nervous system	87
2.4.3.1.3 Dysregulation of the immune system.....	87
2.4.4 NADPH oxidase-derived superoxide anion production in coronary artery disease patients with Type D personality.....	89
2.5 Summary of the theoretical background	90
3 AIMS AND HYPOTHESES OF THE EMPIRICAL STUDIES	92



4 EMPIRICAL STUDIES	95
4.1 Summaries of the empirical studies	95
4.1.1 An in vitro method to investigate microbicidal potential of human macrophages for use in psychosomatic research.....	95
4.1.2 Macrophage superoxide anion production in essential hypertension: Associations with biological and psychological cardiovascular risk factors.....	96
4.1.3 Higher macrophage superoxide anion production in coronary artery disease patients with Type D personality	97
5 DISCUSSION	99
5.1 General Discussion	99
5.1.1 Discussion of the results and methodological approaches	99
5.1.2 Directions for future research.....	106
6 REFERENCES	108
7 APPENDIX	157
A1: DS14.....	157
A2: AN IN VITRO METHOD TO INVESTIGATE MICROBICIDAL POTENTIAL OF HUMAN MACROPHAGES FOR USE IN PSYCHOSOMATIC RESEARCH	158
A3: MACROPHAGE SUPEROXIDE ANION PRODUCTION IN ESSENTIAL HYPERTENSION: ASSOCIATIONS WITH BIOLOGICAL AND PSYCHOLOGICAL RISK FACTORS.....	187
A4: HIGHER MACROPHAGE SUPEROXIDE ANION PRODUCTION IN CORONARY ARTERY DISEASE (CAD) PATIENTS WITH TYPE D PERSONALITY.....	213