




Sebastian König (Autor)

Model-based Design and Optimization of Vanadium Redox Flow Batteries



Sebastian König

Model-based Design and Optimization of Vanadium Redox Flow Batteries



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/7614>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

German abstract.....	1
Chapter 1 Introduction	3
1.1 The need for electric energy storage.....	3
1.2 Fundamentals.....	4
1.3 Objectives of the presented work	11
1.4 Structure of the presented work.....	11
1.5 The flow factor	12
Chapter 2 Flow battery modeling.....	13
2.1 Assumptions and simplifications.....	13
2.2 State-of-charge of a Vanadium Redox Flow Battery	13
2.3 Concentrations of the ionic species	15
2.4 Vanadium crossover	18
2.5 Shunt currents	26
2.6 Open circuit voltage (OCV)	35
2.7 Ohmic overpotential	37
2.8 Activation overpotential	37
2.9 Overpotential due to deviations between tank OCV and cell EMF	41
2.10 Concentration overpotential	42
2.11 Total cell voltage	48
2.12 Modeling of the hydraulic circuit.....	49
Chapter 3 Definitions	57
3.1 Signs of current and power.....	57
3.2 Nominal operational parameters.....	57
3.3 Capacity.....	57
3.4 Efficiency definitions	58
Chapter 4 Validation of the stack voltage model.....	65
4.1 Available experimental data and confidentiality	65
4.2 Validation methodology	66
4.3 Determination of the electrochemical active electrode area.....	68
Chapter 5 Model-based cell design	77
5.1 Current state of science.....	77
5.2 Initial considerations.....	78
5.3 FEA simulations	81



Chapter 6	Evaluation of the cell designs in a single-stack system.....	85
6.1	Current state of science.....	85
6.2	System design.....	85
6.3	Evaluation methodology.....	86
6.4	Comparison of two sample designs.....	89
6.5	Evaluation of all twenty-four cell designs.....	95
6.6	Conclusion.....	103
Chapter 7	Evaluation of the cell designs in a three-stack system.....	105
7.1	System design of the three-stack string system.....	105
7.2	Comparison of two sample designs for the three-stack string system.....	106
7.3	Evaluation of the twenty-four cell designs in a three-stack string.....	111
7.4	Conclusion.....	116
7.5	Implications for grid connection.....	116
Chapter 8	Flow rate optimization.....	119
8.1	Current state of science.....	119
8.2	Minimally required flow rate – Faraday’s law.....	120
8.3	Flow rate optimization basics.....	121
8.4	Constant flow rate.....	122
8.5	Variable flow rate – Conventional approach.....	125
8.6	Variable flow rate - Innovative optimization approach.....	127
8.7	Voltage-dependent FRCS – the stack voltage controller.....	130
8.8	Comparison of the FRCSs.....	133
8.9	Summary.....	139
Chapter 9	Summary and Outlook.....	143
9.1	Summary.....	143
9.2	Outlook.....	144
Appendix A	Summary of the essential equations used in the model.....	147
Appendix B	Additional data and calculations.....	151
Appendix C	Nomenclature.....	153
Appendix D	Bibliography.....	157
Appendix E	Author’s publication and supervised student theses.....	165