



Przemyslaw Bronowicki (Autor)

Stability of Free Surface Flows in Capillary Channels with Rectangular Cross-Sections

Przemyslaw Bronowicki

**Stability of Free Surface Flows in Capillary
Channels with Rectangular Cross-Sections**



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/7664>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

List of Symbols	xv
1 Introduction	1
1.1 Motivation and Background	3
1.2 Scope of this Work	4
2 State of the Art	5
2.1 Propellant Management Devices	5
2.2 Current State of Understanding	7
2.3 Open Channel Flow Stability Criteria	11
2.3.1 Flow Rate Limitation of Steady Flow	12
2.3.2 Flow Rate Limitation of Unsteady Flow	14
2.4 Limitation of Ground Based Experiments	15
2.5 Experiments in Microgravity	16
2.6 Capillary-driven Flow in Terrestrial Applications	17
2.7 Computational Fluid Dynamics	18
2.7.1 Interface Tracking	19
2.7.2 Two-Phase Simulations With OpenFOAM	20
3 Modeling the Flow in the Capillary Channel	23
3.1 Basic Equations	26
3.2 Modeling of the Free Liquid Surface	27
3.3 Pressure Losses	32
3.4 Dimensionless Model	36
3.5 Transient Flow Stability Model	40
3.5.1 Transient Stability Limit	41
3.5.2 Augmented Stabilization (Flexibility Effect)	42
3.5.3 The Feedback Effect of the Fluid Loop	43
3.5.4 Formulation of the Transient Stability Model	43

4 CCF Experiment on ISS	47
4.1 Experimental Setup	48
4.1.1 Hardware	48
4.1.2 Image Acquisition and Evaluation	53
4.1.3 Software	54
4.2 Operational Scenarios	55
4.3 Experimental Uncertainties	57
4.4 Experiment Summary	57
5 Numerical Tools	61
5.1 ccFlow (One-dimensional)	62
5.2 OpenFOAM (Three-dimensional)	65
6 Steady Flow Results	69
6.1 Stable and Unstable Flow	69
6.2 Critical Flow Rate	73
6.2.1 Influence of the Flow Development State	76
6.2.2 Influence of the Characteristic Numbers	77
6.3 Free Surface Contours	78
6.3.1 Reproducibility	81
6.3.2 Comparison with the Mathematical Model	86
6.3.3 Minimum Contour Point	90
6.3.4 Parametric Study	92
6.4 Weaknesses of the Mathematical Model	92
7 General Behavior of Free Surfaces	95
7.1 Static Solution	95
7.2 Dynamic Solution	100
7.2.1 Flow Rate Variation	100
7.2.2 Channel Length Variation	104
7.3 Physical Flow Regimes	106
8 Transient Flow Results	111
8.1 Stability Diagrams	114
8.1.1 Scaling of the Stability Diagrams	117
8.2 Parametric study	117
9 Three-Dimensional Computations	121
9.1 Flow In Straight Tube - Solver Validation	122



9.1.1	Computational Domain	122
9.1.2	Results	124
9.1.3	Conclusions	126
9.2	Flow in the CCF Setup	127
9.2.1	Computational Domain	127
9.2.2	Results	131
10	Conclusions	139
A	CCF Experiment	145
A.1	Test Fluid	145
A.2	Software	146
B	CCF Experiment Results	149
B.1	Critical Flow Rate	149
B.2	HSHR Camera Images	152
B.3	MSG Camera View	152
B.4	Symmetry in the Free Surface Contours	153
B.5	Flexibility Function - Transient Stability Model	153
C	ccFlow Results	159
C.1	Critical Flow Rate	159
D	OpenFOAM	163
D.1	simpleFOAM Input Files - Cylindrical Tube	163
D.2	Cluster - Technical Specification	167
D.3	Velocity Distribution	167
List of Figures		169
List of Tables		179
Bibliography		183