




Yulia Grebenyuk (Autor)
**Experimental and Theoretical Investigations of
Wicking in Porous Media**

Yulia Grebenyuk

**Experimental and Theoretical
Investigations of Wicking in Porous Media**



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/7737>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

Nomenclature	xv
1 Introduction	1
1.1 Motivation	1
1.2 Outline	3
2 Theoretical background and state of the art	5
2.1 Surface tension	5
2.2 Contact angle	6
2.3 Young-Laplace equation	8
2.4 Conservation equations	9
2.4.1 Control volume	9
2.4.2 Mass conservation	9
2.4.3 Linear momentum conservation	10
2.4.4 Energy conservation	11
2.4.5 Boundary conditions	12
2.5 Porous media	15
2.5.1 Pore size	15
2.5.2 Porosity	17
2.5.3 Specific surface area	18
2.5.4 Tortuosity	19
2.5.5 Permeability	19
2.6 Theoretical investigations of wicking	22
2.6.1 Bundle of capillaries models	22
2.6.2 Pore network models	28
2.7 Experimental investigations of wicking	29



2.8	Numerical simulations of fluid flow in porous media	32
2.9	Aims of this work	33
3	1D theoretical models for cryo-wicking	35
3.1	Wicking of a cryogenic liquid into superheated porous structures	35
3.1.1	1D theoretical model	35
3.1.2	Dimensionless formulation	40
3.2	Wicking of a cryogenic liquid into superheated porous structures: accounting for vapor flow	43
3.2.1	1D theoretical model	43
3.2.2	Dimensionless formulation	46
4	Experimental investigation of wicking of liquid nitrogen into superheated porous structures	49
4.1	Materials	49
4.1.1	Porous media	50
4.1.2	Macroscopic parameters	52
4.2	Wicking experiment (no sample superheat)	54
4.3	Cryo-wicking experiment	55
4.3.1	Experimental apparatus	55
4.3.2	Experiment preparation and methodology	57
4.3.3	Correction of sample weight measurements	60
4.4	Results	61
4.4.1	Temperature evolution of nitrogen vapor	61
4.4.2	Imbibed liquid mass and sample temperature	65
4.4.3	Imbibed liquid mass at various porous structures, sample geometries and superheats	68
4.4.4	Wicking height of liquid nitrogen	74
4.4.5	Dimensionless analysis	75
4.5	Summary	81
5	Experimental investigation of wicking of liquid nitrogen into sealed super- heated porous structures	83
5.1	Materials	83
5.1.1	Porous media	83



5.1.2	Sample sealing	84
5.1.3	Macroscopic parameters	84
5.2	Wicking experiment (no sample superheat)	85
5.3	Cryo-wicking experiment	86
5.4	Results	86
5.4.1	Temperature evolution of nitrogen vapor	87
5.4.2	Imbibed liquid mass and sample temperature	89
5.4.3	Imbibed liquid mass at various porous structures and superheats	92
5.4.4	Dimensionless analysis	95
5.5	Summary	100
6	Experimental investigation of wicking into porous polymer-derived ceramic monoliths	103
6.1	Materials	103
6.1.1	Preparation of porous ceramics	103
6.1.2	Characterization	104
6.2	Wicking experiment	108
6.3	Results	110
6.3.1	Macroscopic parameters	110
6.3.2	Imbibition at different sample orientation	113
6.3.3	Theoretical prediction of wicking	115
6.4	Summary	116
7	Numerical simulations of wicking	119
7.1	3D image of porous media	119
7.2	Computational fluid dynamics software FLOW-3D	120
7.2.1	Control volume, meshing and geometry	121
7.2.2	Mass conservation	121
7.2.3	Linear momentum conservation	122
7.2.4	Free surface	123
7.2.5	Numerical approximations	123
7.3	Benchmark microscopic simulation (pore level)	127
7.3.1	Steady fluid flow through porous media	127
7.3.2	Wicking simulation	137



7.4	Benchmark macroscopic simulation	146
7.4.1	Porous media model	146
7.4.2	Wicking simulation	147
7.5	Summary	151
8	Conclusion and Outlook	153
8.1	Conclusion	153
8.1.1	Wicking of a cryogenic liquid	153
8.1.2	Wicking into porous ceramic monoliths	156
8.1.3	Numerical simulations	156
8.2	Outlook	158
A	Appendix	161
A.1	The derivation of the solution for the equation for wicking of a cryogenic liquid into superheated porous structures with evaporation at the wicking front	161
A.2	The derivation of the solution for the equation for wicking of a cryogenic liquid into superheated porous structures with evaporation at the wicking front and the influence of the created vapor on the wicking front propagation	162
	List of Figures	165
	List of Tables	175
	Bibliography	179