




Martin Winterfeldt (Autor)

## Investigation of slow-axis beam quality degradation in high-power broad area diode lasers



<https://cuvillier.de/de/shop/publications/7742>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Motivation - High Power Diode Lasers in materials processing . . . . .	2
1.2	Method - Root cause analysis . . . . .	7
1.3	Structure of this work . . . . .	8
<b>2</b>	<b>High Power Diode Lasers Fundamentals</b>	<b>11</b>
2.1	Introduction to semiconductor diode lasers . . . . .	12
2.1.1	Introductory literature about diode lasers . . . . .	12
2.1.2	Modern High Power Broad Area Lasers . . . . .	14
2.1.3	Epitaxial design of modern BALs . . . . .	18
2.1.4	Beam quality and radiance of a BAL . . . . .	21
2.2	Toolbox for the optoelectronic device engineer . . . . .	26
2.2.1	The refractive index of AlGaAs . . . . .	26
2.2.2	Calculating lateral modes in BALs . . . . .	27
2.2.3	Ion implantation and conductivity of AlGaAs . . . . .	29
2.3	Measurement techniques for BALs . . . . .	33
2.3.1	Power current curves and spectra . . . . .	35
2.3.2	Degree of Polarization (DOP) . . . . .	36
2.3.3	Lateral near- and far field profiles . . . . .	37
2.3.4	Micro thermography on broad area lasers . . . . .	39



<b>3</b>	<b>Main Influences on BAL Slow Axis BPP</b>	<b>41</b>
3.1	Linear model of $BPP_{lat}$ with temperature increase . . . . .	42
3.2	Vertical design . . . . .	46
3.2.1	Vertical asymmetry and thermal lens bowing . . . . .	46
3.2.2	Importance of quantum well position and chip geometry . . . . .	57
3.2.3	Modal gain and filamentation . . . . .	62
3.3	Trenches and strain . . . . .	69
3.3.1	Close trenches . . . . .	69
3.3.2	The impact of strain fields . . . . .	71
3.4	Lateral carrier accumulation (LCA) . . . . .	75
3.4.1	Deep proton implantation . . . . .	76
3.4.2	The effect of reduced LCA . . . . .	80
3.5	Summarized lessons and measures for improved $BPP_{lat}$ . . . . .	86
<b>4</b>	<b>Further Measures for Improved Slow Axis Beam Quality</b>	<b>91</b>
4.1	Stripe width variation . . . . .	92
4.2	Anti-Waveguide Layers as lateral mode filter . . . . .	102
<b>5</b>	<b>Summary and Outlook</b>	<b>113</b>
5.1	Results of root cause analysis . . . . .	113
5.2	Results of stripe width reduction and mode filter . . . . .	116
5.3	Outlook and design measures . . . . .	118
	<b>Appendices</b>	<b>119</b>
<b>A</b>	<b>Gehrsitz-Model Refractive Index Function in MatLab</b>	<b>119</b>
<b>B</b>	<b>Transfer Matrix Calculation for Far-field Imaging</b>	<b>120</b>
	<b>Bibliography</b>	<b>135</b>