



Anissa Zeghuzi (Autor)

Wolfgang Heinrich (Herausgeber)

# Analysis of Spatio-Temporal Phenomena in High-Brightness Diode Lasers using Numerical Simulations



<https://cuvillier.de/de/shop/publications/8310>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>1</b>	<b>Introduction and Background</b>	<b>1</b>
<b>2</b>	<b>Optical field model</b>	<b>9</b>
2.1	The traveling-wave equations . . . . .	9
2.2	Balance of radiative energy . . . . .	12
2.3	Effective longitudinal-lateral projected equations . . . . .	13
2.4	Retrieval of real device characteristics . . . . .	16
2.5	Summary . . . . .	18
<b>3</b>	<b>Carrier transport model</b>	<b>19</b>
3.1	Basic drift-diffusion model . . . . .	20
3.2	Reduction to effective diffusion equation and models for the injection current . . . . .	23
3.2.1	Carrier transport in the active region . . . . .	24
3.2.2	Models for the injection current density . . . . .	26
3.3	Summary . . . . .	29
<b>4</b>	<b>Heat model</b>	<b>31</b>
4.1	Basic equations . . . . .	32
4.2	Approximate equations for the heat source density . . . . .	34
4.2.1	Treatment of spontaneous emission . . . . .	34
4.2.2	Impact of vanishing thermoelectric effects on the heat generation . . . . .	34
4.2.3	Heat sources for the longitudinal-lateral approximate equations . . . . .	37
4.3	Energy conservation . . . . .	40
4.4	Treatment of pulsed operation (no-heat-flow approximation) . . . . .	42
4.4.1	Experimental validation . . . . .	45
4.5	Treatment of continuous-wave operation . . . . .	46
4.6	Summary . . . . .	49
<b>5</b>	<b>Power saturation under short pulse operation</b>	<b>51</b>
5.1	Spatial hole burning, current spreading, two-photon absorption and gain compression . . . . .	52
5.2	Impact of spatio-temporal power variations . . . . .	55
5.3	Estimation of additional effects not included in the model . . . . .	56
5.4	Conclusions . . . . .	58
<b>6</b>	<b>Factors influencing the lateral field profile</b>	<b>61</b>
6.1	Modulation instability induced by Kerr nonlinearities . . . . .	62
6.1.1	Bespalov Talanov modulation instability . . . . .	62

6.1.2	Instabilities induced by the optical material Kerr effect . . . . .	63
6.1.3	Instabilities induced by spatial hole burning . . . . .	65
6.1.4	Conclusions . . . . .	68
6.2	Multi-mode lasing . . . . .	69
6.3	Nonthermal effects . . . . .	73
6.3.1	Nonthermal far-field blooming . . . . .	74
6.3.2	Differential index ( $\alpha_H$ -factor) . . . . .	76
6.3.3	Lateral carrier distribution in the active region . . . . .	79
6.3.4	Conclusions . . . . .	82
6.4	Thermal waveguiding effects . . . . .	83
6.4.1	Short-pulse operation . . . . .	83
6.4.2	Continuous-wave operation . . . . .	87
6.4.3	Conclusions . . . . .	92
<b>7</b>	<b>Improvement of the lateral brightness</b>	<b>93</b>
7.1	Index guiding trenches and implantation . . . . .	94
7.1.1	Comparison with measurements . . . . .	95
7.1.2	Conclusions . . . . .	99
7.2	Contact structuring . . . . .	100
7.2.1	Coherently coupled laser arrays . . . . .	101
7.2.2	Talbot lasers . . . . .	104
7.2.3	Chessboard lasers . . . . .	106
7.2.4	Conclusions . . . . .	113
<b>8</b>	<b>Summary and outlook</b>	<b>115</b>
	<b>Appendix</b>	<b>119</b>
<b>A</b>	<b>Simulation parameters</b>	<b>119</b>
<b>B</b>	<b>Nonlinear susceptibility</b>	<b>127</b>
<b>C</b>	<b>The Fermi integral <math>F_{1/2}</math></b>	<b>131</b>
<b>D</b>	<b>Numerical schemes</b>	<b>133</b>
D.1	Traveling wave and carrier rate equations . . . . .	133
D.1.1	Split step Fourier method for solution of traveling wave equations	134
D.1.2	Finite difference scheme for solution of carrier rate equations . .	136
D.1.3	Parallelization . . . . .	138
D.2	Current spreading and heat transport solvers . . . . .	138
D.2.1	Current spreading solver . . . . .	138
D.2.2	Heat transport solver . . . . .	140
	<b>Bibliography</b>	<b>141</b>