




Ernst Paunzen (Autor)
The Δa photometric system



<https://cuvillier.de/de/shop/publications/8305>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

1	Summary	5
2	The early history of the Δa photometric system	7
3	The diagnostic tools of the Δa photometric system	8
4	Other indices measuring the 5200Å region	10
5	The variability of the Δa index	13
5.1	CP stars	14
5.2	Be/shell stars - The case of Pleione	20
5.3	Variable star detection via Δa photometry	21
5.3.1	Temporal analysis and results	22
5.3.2	Individual variables and Conclusions	26
6	Chemically Peculiar stars of the upper main sequence	27
7	Other star groups interesting for the Δa photometric system	30
7.1	Blue Stragglers	30
7.2	Herbig Ae/Be stars	32
7.3	Be/shell stars	33
7.4	B[e] stars	33
7.5	Evolved and Population II stars	35
8	An inspection of the wavelength region from 4900 to 5700Å	38
8.1	The 5200Å flux depression	38
8.2	Features of Stars across the HRD	40
8.3	Features of Quasars	48
8.4	Features of Galaxies	50
9	Spectrophotometry of the 5200Å region for peculiar and normal type stars	54
9.1	Data and reduction	54
9.2	Results	58
9.3	Known peculiar objects	59
9.4	Apparent normal-type objects	61
9.5	Conclusions	66

10	A catalogue of Δa measurements for Galactic field stars	67
10.1	Selection, preparation, and homogenization of the data . . .	69
11	The detection probability of the Δa system for Population I stars	72
11.1	The normal type objects	73
11.2	Outliers not included in RM09	75
11.3	CP1 stars	75
11.4	CP2 stars	78
11.5	CP3 stars	79
11.6	CP4 stars	79
11.7	λ Bootis stars	79
11.8	Supergiants	79
11.9	Be/shell stars	81
11.10	Newly confirmed CP stars	81
11.11	Comparison with the Geneva $\Delta(V1 - G)$ and Z indices . .	82
12	An empirical temperature calibration for the Δa photometric system	84
12.1	The B-type stars	85
12.1.1	Sample of program stars	86
12.1.2	The estimation of the reddening	87
12.1.3	The calibration of the effective temperature	88
12.1.4	The calibration procedure for the Δa photometric system	89
12.2	The A-type and mid F-type stars	92
12.2.1	Sample of program stars	93
12.2.2	The estimation of the reddening	94
12.2.3	The calibration of the effective temperature	95
12.2.4	The result for the Δa photometric system	96
13	Theoretical isochrones for the Δa photometric system	98
13.1	Models, data selection, and isochrone fitting	99
14	Synthetic Δa photometry	104
14.1	The normality line	104
14.1.1	The synthetic Δa filter system	106
14.1.2	Calibration relations	106
14.1.3	Luminosity effects	110
14.1.4	Metallicity effects	112
14.2	The cool CP and λ Bootis stars	112

14.2.1	Model atmospheres for CP stars	113
14.2.2	Selected sample of stars	116
14.3	Individual models: parameter determination with observed fluxes	118
14.3.1	CP1 stars	119
14.3.2	CP2 stars with $T_{\text{eff}} \leq 8500$ K	122
14.4	CP2 stars with $8500 \text{ K} \leq T_{\text{eff}} \leq 10000$ K	127
14.5	Comparison of the synthetic and observed Δa photometry for ten CP stars	130
14.5.1	λ Bootis stars	130
14.5.2	CP1 stars	131
14.5.3	CP2 stars	131
14.5.4	Spectroscopic observations of the 5200\AA depression	133
14.6	Observational constraints	134
14.7	Microturbulence, abundances, and atomic data	136
14.8	Stratification and magnetic fields	137
14.9	Stellar model atmospheres with magnetic line blanketing	139
14.9.1	The stellar model atmosphere code LLModels	139
14.9.2	The behaviour of Δa , $(\Delta V1 - G)$, and Z in correla- tion with T_{eff} and B	140
14.9.3	Effects of the individual abundance patterns	143
15	Heuristic observational correlations for CP stars	146
16	Investigating the λ Bootis spectroscopic binary hypothesis using Δa photometry	153
16.1	Modelling the spectroscopic binary systems	153
16.2	Results and Conclusions	156
17	The Δa observations of Galactic open clusters	158
17.1	The characteristics of open clusters	158
17.2	Photoelectric Δa observations of Galactic open clusters	160
17.2.1	Observations and reduction	161
17.2.2	Feinstein 1	164
17.2.3	NGC 2168	165
17.2.4	NGC 2323	166
17.2.5	NGC 2437	166
17.3	CCD Δa observations of Galactic open clusters	167
17.4	The observation of Blue Stragglers in open clusters	170
17.5	Statistics of the observed open clusters	171

18	The first Δa observations of three Galactic globular clusters	176
18.1	Target selection, observations and reduction	179
18.2	Discussion	180
19	The Δa observations within the Large Magellanic Cloud	186
19.1	Target fields and observations	187
19.2	Reduction and calibration	189
19.3	The incidence of the apparent peculiar objects	191
19.4	The spectroscopic verification of one CP and Be star . . .	195
19.4.1	Target selection, observations, and reductions . . .	195
19.4.2	Results and conclusions	196
19.5	The (non-)variability of magnetic CP candidates in the LMC	199
19.5.1	I light variability of mCP stars	202
19.5.2	Periodograms	204
19.5.3	Discussion of periodograms	205
19.5.4	The mCP candidates suspected of periodic light variations	207
19.5.5	Conclusions	210
20	A case study of using Gunn g data to improve Δa	211
21	The ALHAMBRA and COSMOS surveys	215
22	Conclusions and Outlook	218
23	References	219