




Heike Christopher (Autor)

## A compact mode-locked diode laser system for high precision frequency comparison experiments



<https://cuvillier.de/de/shop/publications/8418>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>1. Introduction</b>	<b>1</b>
1.1. The optical frequency comb . . . . .	2
1.1.1. Theoretical description of mode-locked operation . . . . .	4
1.1.2. Phenomenological description of mode-locked operation . . . . .	5
1.1.3. Measurement of optical frequencies and frequency differences . . . . .	6
1.2. A tailored optical frequency comb for a spaceborne experiment . . . . .	7
1.2.1. The QUANTUS experiments: a test of the universality of free fall . . . . .	8
1.2.2. An advanced frequency stabilization scheme for future QUANTUS experiments . . . . .	9
1.2.3. The LASUS projects: development of diode laser technology for use in the QUANTUS experiments . . . . .	13
1.2.4. Requirements on an optical frequency comb for spaceborne tests of the universality of free fall in the QUANTUS experiments . . . . .	16
1.3. State of the art optical frequency combs operating in the wavelength region around 780 nm . . . . .	20
1.4. Thesis organization . . . . .	23
1.4.1. Goals of this thesis . . . . .	23
1.4.2. Outline of this thesis . . . . .	23
<b>2. Mode-locking of semiconductor lasers</b>	<b>25</b>
2.1. Introduction to mode-locked diode lasers . . . . .	25
2.2. Diode laser chips . . . . .	25
2.3. Mode-locking techniques . . . . .	29
2.3.1. Active mode-locking . . . . .	29
2.3.2. Passive mode-locking . . . . .	30
2.3.3. Hybrid mode-locking . . . . .	32
2.4. Optical absorption and gain in passively mode-locked diode lasers . . . . .	33
2.5. Resonator concepts for passively mode-locked diode lasers . . . . .	36
2.6. Optical components of an ML-ECDL . . . . .	38
2.6.1. Coating of the diode laser chip's facets . . . . .	39
2.6.2. Beam shaping optics . . . . .	39
2.6.3. External mirror . . . . .	40
<b>3. Measurement methods and setup</b>	<b>41</b>
3.1. Introduction to measurement and analysis feedback loop . . . . .	41
3.2. Requirements on the experimental setup and techniques . . . . .	41

3.3. Experimental setup . . . . .	43
3.3.1. Laser test mount . . . . .	43
3.3.2. Measurement setup . . . . .	45
3.4. Experimental techniques . . . . .	47
3.4.1. Optical frequency domain . . . . .	47
3.4.2. RF frequency domain . . . . .	48
3.4.3. Time domain-based investigation of RF characteristics . . . . .	51
3.4.4. Time domain . . . . .	54
3.4.5. Optical power . . . . .	56
3.4.6. Measurement procedure and control . . . . .	57
3.5. Performance analysis . . . . .	59
3.6. Summary . . . . .	60
<b>4. Development of a diode laser-based optical frequency comb</b>	<b>61</b>
4.1. Introduction to the evaluation . . . . .	61
4.2. Influence of the laser design parameters on the mode-locking performance . . . . .	62
4.2.1. Optical design . . . . .	62
4.2.2. External mirror . . . . .	63
4.2.3. Laser resonator length . . . . .	64
4.2.4. Epitaxial layer design of the diode laser chip . . . . .	67
4.2.5. Longitudinal design of the diode laser chip . . . . .	75
4.2.6. Facet reflectivity of the diode laser chip . . . . .	82
4.2.7. Conclusion for optimization of the laser design . . . . .	87
4.3. Influence of the laser operating parameters on the performance of the best suited device . . . . .	88
4.3.1. Optical frequency domain characteristics . . . . .	88
4.3.2. RF frequency domain characteristics . . . . .	93
4.3.3. Time domain-based RF characteristics . . . . .	94
4.3.4. Time domain characteristics . . . . .	96
4.3.5. Optical power characteristics . . . . .	97
4.4. Conclusion of the development of the diode laser-based optical frequency comb . . . . .	98
<b>5. Micro-integration of the diode laser-based optical frequency comb generator</b>	<b>101</b>
5.1. Introduction to the micro-integration concept . . . . .	101
5.2. First generation ML-ECDL module . . . . .	101
5.2.1. The micro-integration technology platform . . . . .	101
5.2.2. Integration strategy . . . . .	103
5.2.3. Mode-locking performance . . . . .	106
5.2.4. Conclusions from the first generation micro-integrated ML-ECDL . . . . .	109
5.3. Advanced ML-ECDL module . . . . .	110
5.3.1. The micro-integration technology platform . . . . .	110
5.3.2. Integration strategy . . . . .	112
5.3.3. Mode-locking performance . . . . .	116
5.3.4. Conclusion from the advanced ML-ECDL module . . . . .	125

5.4. Conclusion from micro-integration of a diode laser-based optical frequency comb generator . . . . .	126
<b>6. Pulse repetition rate stabilization</b>	<b>127</b>
6.1. Introduction to stabilization of the pulse repetition rate . . . . .	127
6.2. Experimental setup . . . . .	127
6.3. Results . . . . .	131
6.3.1. RF characteristics . . . . .	131
6.3.2. Optical characteristics . . . . .	133
6.3.3. Temporal and optical power characteristics . . . . .	134
6.4. Conclusion from the stabilization of the pulse repetition rate . . . . .	134
<b>7. Conclusion and outlook</b>	<b>137</b>
7.1. Conclusion . . . . .	137
7.2. Outlook on future advancements . . . . .	139
<b>A. Derivation of equations</b>	<b>143</b>
A.1. Influence of the spectroscopy stabilization in the advanced stabilization scheme . . . . .	143
A.2. Optical gain and absorption . . . . .	143
<b>Lists of figures</b>	<b>145</b>
<b>Lists of tables</b>	<b>149</b>
<b>List of abbreviations</b>	<b>151</b>
<b>List of symbols</b>	<b>155</b>
<b>Bibliography</b>	<b>161</b>
<b>List of publications</b>	<b>179</b>
<b>Acknowledgments</b>	<b>183</b>
<b>Selbständigkeitserklärung</b>	<b>185</b>