




Björn Neubauer (Autor)

## **Impact of Dynamic Scatterers upon Frequency- and Amplitude-Modulation**

A Theoretical and Practical Treatise in the Context of the Doppler-VOR and Wind Turbines



<https://cuvillier.de/de/shop/publications/8525>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>1. Prologue</b>	<b>1</b>
1.1. Summing Two Oscillations of Equal Angular Velocity . . . . .	1
1.2. Summing Two Oscillations of Different Angular Velocity . . . . .	9
1.3. Technical Context . . . . .	12
<b>2. Doppler VOR - Function Principle</b>	<b>15</b>
2.1. Composition of the DVOR Signal . . . . .	17
<b>3. Signal Deterioration of the FM-Component due to a Single, Static Scatterer</b>	<b>20</b>
3.1. Three Approximations — Anderson et al. . . . .	20
3.2. One Approximation Only — This Work . . . . .	33
3.3. Evaluation of (3.59) and its Comparison with Anderson's Bearing Error (3.33) .	36
<b>4. Signal Deterioration of the FM-Component due to a Stationary, Non-Static Scatterer</b>	<b>49</b>
4.1. FM-Component — Impact of Time Varying Signal Strength and Constant Doppler Shift . . . . .	49
4.2. Impact of Time Varying Signal Strength $A(t)$ and Time Varying Doppler Shift $\Delta\omega_2(t)$ . . . . .	64
<b>5. Signal Deterioration of the AM-Component due to a Stationary, Non-Static Scatterer</b>	<b>70</b>
5.1. Superposition of Two Amplitude Modulated Waves . . . . .	70
5.2. Amplitude Modulated Signal Component . . . . .	72
5.2.1. Static Scatterer . . . . .	80
5.2.2. Superposition of an AM with an Amplitude Modulated AM without Doppler Shift . . . . .	81
5.2.2.1. $\rho_A = +\rho$ . . . . .	82
5.2.2.2. $\rho_A = -\rho$ . . . . .	85
5.2.2.3. $\rho_A = 2\rho$ . . . . .	87
5.2.2.4. $\rho_A = -2\rho$ . . . . .	89
5.2.3. Phase Shift of an AM due to the Superposition with an Amplitude Modulated AM without Doppler Shift . . . . .	91
5.2.3.1. Evaluation of the Phase Shift due to Resonant Modulating Angular Velocity $\rho_A$ . . . . .	91
5.2.3.2. Evaluation of the Phase Shift Due to an Arbitrary Modulating Angular Velocity $\rho_A$ . . . . .	101
5.3. Amplitude Modulation of the Second AM Signal, including Doppler Shift . . . . .	106
5.3.1. $AV_1 : \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	107
5.3.1.1. $\Delta\omega_1 = \rho$ and $\rho_A = \rho$ . . . . .	107
5.3.2. $AV_2, AV_3 : \rho \mp \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	109
5.3.3. $AV_4 : \rho_A - \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	109
5.3.3.1. $a = 2, \Delta\omega_1 = 2\rho, \rho_A = 3\rho$ . . . . .	111
5.3.4. $AV_5 : \rho_A + \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	113

5.3.5. $AV_6, AV_9 : \rho \pm \rho_A \mp \Delta\omega_1 \stackrel{!}{=} \rho$	114
5.3.6. $AV_7 : \rho + \rho_A + \Delta\omega_1 \stackrel{!}{=} \rho$	116
5.3.7. $AV_8 : \rho - \rho_A - \Delta\omega_1 \stackrel{!}{=} \rho$	117
5.4. Oscillating Doppler Shift: $\Delta\omega_1(t) = \Omega_{1,ds} \sin[\omega_{1,ds}t - \phi_{1,ds}]$	117
5.4.1. $\cos[z \sin[\xi] + g] = \sum_{n=-\infty}^{\infty} J_n(z) \cos[n\xi + g]$	121
5.4.2. $\cos[z \sin[\xi] + g] = \cos[g] J_0(z) + 2 \cos[g] \sum_{n=1}^{+\infty} J_{2n}(z) \cos[2n\xi] - 2 \sin[g] \sum_{n=0}^{\infty} J_{2n+1}(z) \sin[(2n+1)\xi]$	124
5.5. Determining the AM's Phase Deviation due to a Stationary Scatterer of Oscillating Character	127
<b>6. Assessment of the Remaining Approximation — Validity of the Derived Expressions</b>	<b>129</b>
<b>7. Scaled Environment</b>	<b>132</b>
<b>8. Measurement Concept and Hardware Setup</b>	<b>137</b>
<b>9. Used Antennae</b>	<b>139</b>
<b>10. Development and Evaluation of a Scaled Terrain Topology</b>	<b>143</b>
10.1. Height Scans	150
<b>11. Scaled Wind Turbines</b>	<b>160</b>
<b>12. Measurements in a Triangular Alignment</b>	<b>165</b>
12.1. Scatterer induced Doppler Shifts	165
12.2. Impact of a dynamic Scatterer Induced AM upon the DVOR-Signal — Generic Blades	177
12.3. Impact of a Scatterer Induced AM upon the DVOR-Signal — Commercial Blades	193
12.3.1. Plane of Rotation	194
12.3.2. Emitter Height	196
12.3.3. One and Three Wind Turbines on flat Ground and on Hill	197
12.3.4. Evaluating the Size of Building Restricted Areas by varying Distances	200
12.3.5. Overview	201
<b>13. Measurements in a Line of Sight Alignment</b>	<b>203</b>
13.1. Pitch	203
13.2. Plane of Rotation	204
13.3. Perpendicular Offset	205
13.4. Wind Turbine Types	206
13.5. Overview	209
<b>14. Summary</b>	<b>211</b>
<b>15. Outlook</b>	<b>219</b>
<b>A. Mathematical Appendix</b>	<b>221</b>
A.1. Euler Equation and Trigonometric Functions	221
A.2. The Sign in The Angular Functions	221
A.3. Sinus of Arc Cosine	221
A.4. Addition Theorem	221

A.5. Addition Theorem II . . . . .	222
A.6. Addition Theorem III . . . . .	222
A.7. Tangent of the Sum and Difference of two Angles [6]: (2.87) . . . . .	223
A.8. Extreme Value Problem of Subsection 1.2 . . . . .	224
A.9. Summation of two Oscillations . . . . .	226
A.9.1. Summation of two Oscillations . . . . .	229
A.10. Products of Trigonometric Functions [6] . . . . .	231
A.10.1. Applying Identities on (4.23) yielding (4.24) . . . . .	231
A.10.2. Applying (A.72) on (4.57) . . . . .	232
A.10.3. Summation of (A.79) and (A.80) . . . . .	232
A.11. Bessel Function . . . . .	233
A.11.1. Bessel Function as Series . . . . .	233
A.11.2. Identities for Negative Arguments . . . . .	233
A.11.3. Bessel Function: Relation between $J_n$ and $J_{-n}$ . . . . .	234
A.11.4. Derivation of the Bessel function . . . . .	234
A.11.5. Series Expansion of the Angular Functions with Bessel Functions: . . . . .	234
A.11.5.1. $e^{jz \sin[\xi]}$ , $\sin[z \sin[\xi]]$ , $\cos[z \sin[\xi]]$ . . . . .	234
A.11.5.2. $e^{jz \cos[\xi]}$ , $\sin[z \cos[\xi]]$ , $\cos[z \cos[\xi]]$ [7] . . . . .	235
A.11.6. Extended Series Expansion of the Angular Functions with Bessel Functions . . . . .	236
A.11.6.1. $\sin[z \sin[\xi] + g]$ and $\cos[z \sin[\xi] + g]$ . . . . .	237
A.11.6.2. $\sin[z \cos[\xi] + g]$ and $\cos[z \cos[\xi] + g]$ . . . . .	238
A.11.7. $\sin(z \sin(\xi) + g) = \sum_{-\infty}^{\infty}$ . . . . .	240
A.11.8. $\cos(z \sin(\xi) + g) = \sum_{-\infty}^{\infty}$ . . . . .	242
A.12. Trigonometric (Fourier) series . . . . .	243
A.13. Arcus Function with a negative Argument . . . . .	244
A.14. Derivation . . . . .	244
A.14.1. Derivation of a Product of Three Functions . . . . .	244
A.14.2. Chain Rule . . . . .	244
A.15. Applying the addition theorems (A.70), (A.71) on the products of angular functions in (5.111) . . . . .	244
A.15.1. $\cos[2n\xi] \cdot \cos[g_1]$ . . . . .	244
A.15.2. $\cos[2n\xi] \cdot \cos[g_2]$ . . . . .	245
A.15.3. $\cos[2n\xi] \cdot \cos[g_3]$ . . . . .	245
A.15.4. $\cos[2n\xi] \cdot \cos[g_4]$ . . . . .	246
A.15.5. $\cos[2n\xi] \cdot \cos[g_5]$ . . . . .	246
A.15.6. $\cos[2n\xi] \cdot \cos[g_6]$ . . . . .	247
A.15.7. $\cos[2n\xi] \cdot \cos[g_7]$ . . . . .	247
A.15.8. $\cos[2n\xi] \cdot \cos[g_8]$ . . . . .	247
A.15.9. $\cos[2n\xi] \cdot \cos[g_9]$ . . . . .	248
A.15.10. $\sin[(2n + 1)\xi] \cdot \sin[g_1]$ . . . . .	248
A.15.11. $\sin[(2n + 1)\xi] \cdot \sin[g_2]$ . . . . .	249
A.15.12. $\sin[(2n + 1)\xi] \cdot \sin[g_3]$ . . . . .	249
A.15.13. $\sin[(2n + 1)\xi] \cdot \sin[g_4]$ . . . . .	250
A.15.14. $\sin[(2n + 1)\xi] \cdot \sin[g_5]$ . . . . .	250
A.15.15. $\sin[(2n + 1)\xi] \cdot \sin[g_6]$ . . . . .	251
A.15.16. $\sin[(2n + 1)\xi] \cdot \sin[g_7]$ . . . . .	251
A.15.17. $\sin[(2n + 1)\xi] \cdot \sin[g_8]$ . . . . .	252
A.15.18. $\sin[(2n + 1)\xi] \cdot \sin[g_9]$ . . . . .	252

<b>B. Physical Appendix</b>	<b>253</b>
B.1. Doppler Effect . . . . .	253
B.1.1. Doppler Effect for Electromagnetic Waves . . . . .	253
B.1.2. Relativistic Effects? . . . . .	254
B.1.3. Influence of the Scaling upon the Doppler Shift . . . . .	256
B.2. Background Doppler Effect for electromagnetic Waves . . . . .	258
B.2.0.1. Time Delitation . . . . .	260
B.3. Dimensioning the DVOR-Radius . . . . .	261
<b>C. Case Distinctions Appendix — Phase Deviation of the AM Signal</b>	<b>262</b>
C.1. $AV_1$ . . . . .	262
C.1.1. $\Delta\omega_1 = \rho$ and $\rho_A = -\rho$ . . . . .	262
C.1.2. $\Delta\omega_1 = \rho$ and $\rho_A = 2\rho$ . . . . .	264
C.2. $AV_2, AV_3 : \rho \mp \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	265
C.3. $AV_4 : \rho_A - \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	265
C.3.1. $a = 0, \Delta\omega_1 = 0, \rho_A = \rho$ . . . . .	265
C.3.2. $a = 0.5, \Delta\omega_1 = 0.5\rho, \rho_A = 1.5\rho$ . . . . .	265
C.3.3. $a = -0.5, \Delta\omega_1 = -0.5\rho, \rho_A = 0.5\rho$ . . . . .	267
C.3.4. $a = 1, \Delta\omega_1 = \rho, \rho_A = 2\rho$ . . . . .	269
C.3.5. $a = -1, \Delta\omega_1 = -\rho, \rho_A = 0$ . . . . .	270
C.3.6. $a = -1.5, \Delta\omega_1 = -1.5\rho, \rho_A = -0.5\rho$ . . . . .	271
C.3.7. $a = -2, \Delta\omega_1 = -2\rho, \rho_A = -\rho$ . . . . .	272
C.3.8. $a = 5, \Delta\omega_1 = 5\rho, \rho_A = 6\rho$ . . . . .	273
C.3.9. $a = -5, \Delta\omega_1 = -5\rho, \rho_A = -4\rho$ . . . . .	274
C.3.10. $a = 5, \Delta\omega_1 = 5\rho, \rho_A = 6\rho$ . . . . .	275
C.3.11. $a = 9.9, \Delta\omega_1 = 9.9\rho, \rho_A = 10.9\rho$ . . . . .	277
C.4. $AV_5 : \rho_A + \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	278
C.4.1. $\tilde{a} = 0, \Delta\omega_1 = 0, \rho_A = \rho$ . . . . .	278
C.4.2. $\tilde{a} = 0.5, \Delta\omega_1 = 0.5\rho, \rho_A = 0.5\rho$ . . . . .	278
C.4.3. $\tilde{a} = -0.5, \Delta\omega_1 = -0.5\rho, \rho_A = 1.5\rho$ . . . . .	280
C.4.4. $\tilde{a} = 1, \Delta\omega_1 = \rho, \rho_A = 0$ . . . . .	282
C.4.5. $\tilde{a} = -1, \Delta\omega_1 = -\rho, \rho_A = 2\rho$ . . . . .	282
C.4.6. $\tilde{a} = 1.5, \Delta\omega_1 = 1.5\rho, \rho_A = -0.5\rho$ . . . . .	283
C.4.7. $\tilde{a} = 2, \Delta\omega_1 = 2\rho, \rho_A = -\rho$ . . . . .	285
C.4.8. $\tilde{a} = -2, \Delta\omega_1 = -2\rho, \rho_A = 3\rho$ . . . . .	286
C.4.9. $\tilde{a} = 5, \Delta\omega_1 = 5\rho, \rho_A = -4\rho$ . . . . .	287
C.4.10. $\tilde{a} = -5, \Delta\omega_1 = -5\rho, \rho_A = 6\rho$ . . . . .	289
C.4.11. $\tilde{a} = 9.9, \Delta\omega_1 = 9.9\rho, \rho_A = -8.9\rho$ . . . . .	290
C.4.12. $\tilde{a} = -9.9, \Delta\omega_1 = -9.9\rho, \rho_A = 10.9\rho$ . . . . .	291
C.5. $AV_6, AV_9 : \rho \pm \rho_A \mp \Delta\omega_1 \stackrel{!}{=} \rho$ . . . . .	292
C.5.1. $\check{a} = 0, \Delta\omega_1 = \rho_A = 0$ . . . . .	292
C.5.2. $\check{a} = 0.5, \Delta\omega_1 = \rho_A = 0.5\rho$ . . . . .	294
C.5.3. $\check{a} = -0.5, \Delta\omega_1 = \rho_A = -0.5\rho$ . . . . .	297
C.5.4. $\check{a} = 1, \Delta\omega_1 = \rho_A = \rho$ . . . . .	299
C.5.5. $\check{a} = -1, \Delta\omega_1 = \rho_A = -\rho$ . . . . .	301
C.5.6. $\check{a} = 2, \Delta\omega_1 = \rho_A = 2\rho$ . . . . .	302
C.5.7. $\check{a} = -2, \Delta\omega_1 = \rho_A = -2\rho$ . . . . .	303
C.5.8. $\check{a} = 5, \Delta\omega_1 = \rho_A = 5\rho$ . . . . .	305
C.5.9. $\check{a} = -5, \Delta\omega_1 = \rho_A = -5\rho$ . . . . .	306

C.6. $AV_7 : \rho + \rho_A + \Delta\omega_1 \stackrel{!}{=} \rho$	307
C.6.1. $\dot{\alpha} = 0, \Delta\omega_1 = 0, \rho_A = 0$	307
C.6.2. $\dot{\alpha} = 0.5, \Delta\omega_1 = 0.5\rho, \rho_A = -0.5\rho$	308
C.6.3. $\dot{\alpha} = -0.5, \Delta\omega_1 = -0.5\rho, \rho_A = 0.5\rho$	311
C.6.4. $\dot{\alpha} = 1, \Delta\omega_1 = \rho, \rho_A = -\rho$	313
C.6.5. $\dot{\alpha} = -1, \Delta\omega_1 = -\rho, \rho_A = \rho$	314
C.6.6. $\dot{\alpha} = 2, \Delta\omega_1 = 2\rho, \rho_A = -2\rho$	315
C.6.7. $\dot{\alpha} = -2, \Delta\omega_1 = -2\rho, \rho_A = 2\rho$	317