



Sören Ernst Lehmann (Autor)

## Modeling and Flowsheet Simulation of Vibrated Fluidized Bed Dryers




**SPE-Schriftenreihe**

**18**

Herausgegeben von Prof. Dr.-Ing. habil. Dr. h.c. Stefan Heinrich

Sören Ernst Lehmann

### Modeling and Flowsheet Simulation of Vibrated Fluidized Bed Dryers



Cuvillier Verlag Göttingen

Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/8560>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

|  |     |
|--|-----|
| <b>Acknowledgment</b>                                    | i   |
| <b>Abstract</b>  | ii  |
| <b>Contents</b>  | iii |
| <b>Symbols</b>   | vi  |
| <b>1 Introduction</b>                                    | 1   |
| 1.1 Fluidized Bed Technology . . . . .                   | 1   |
| 1.1.1 Drying in Fluidized Beds . . . . .                 | 4   |
| 1.1.2 Assisted Fluidization . . . . .                    | 6   |
| 1.2 Flowsheet Simulation of Solids Processes . . . . .   | 7   |
| 1.3 Objectives and Strategy . . . . .                    | 8   |
| 1.4 Outline of the Thesis . . . . .                      | 9   |
| <b>2 Modeling of Fluidized Beds</b>                      | 11  |
| 2.1 Modeling of Fluidized Bed Hydrodynamics . . . . .    | 11  |
| 2.1.1 Modeling Approaches . . . . .                      | 11  |
| 2.1.2 Experimental Techniques . . . . .                  | 14  |
| 2.1.3 Vibrated Fluidized Beds . . . . .                  | 16  |
| 2.1.4 Residence Time Distribution . . . . .              | 18  |
| 2.2 Modeling of Fluidized Bed Drying Processes . . . . . | 24  |
| 2.2.1 Characteristic Drying Curve . . . . .              | 26  |
| 2.2.2 Reaction Engineering Approach . . . . .            | 27  |
| <b>3 Experimental Methods</b>                            | 31  |
| 3.1 Powder Characteristics . . . . .                     | 31  |
| 3.1.1 Density . . . . .                                  | 31  |
| 3.1.2 Particle Size and Size Distribution . . . . .      | 33  |
| 3.1.3 Moisture Content . . . . .                         | 34  |
| 3.1.4 Sorption Isotherms . . . . .                       | 35  |
| 3.1.5 Specific Surface Area . . . . .                    | 38  |

|          |  |           |
|----------|--|-----------|
| 3.2      | Preparation of Experiments . . . . .   | 41        |
| 3.3      | Pilot-Plant-Scale Vibrated Fluidized Bed Dryer . . . . .                             | 41        |
| 3.3.1    | Measurement Equipment . . . . .  | 43        |
| 3.3.2    | Modes of Operation . . . . .   | 46        |
| 3.3.3    | Minimum Fluidization Velocity . . . . .  | 49        |
| 3.3.4    | Complete Fluidization Velocity . . . . .   | 53        |
| 3.3.5    | Hydrodynamics and Bubble Characteristics . . . . .                                   | 54        |
| 3.3.6    | Residence Time Distribution . . . . .  | 56        |
| 3.4      | Lab-Scale Fluidized Bed Dryer . . . . .  | 58        |
| 3.4.1    | Batch Drying . . . . .   | 58        |
| 3.4.2    | Continuous Drying . . . . .  | 58        |
| <b>4</b> | <b>Model Development</b>   | <b>61</b> |
| 4.1      | Hydrodynamics of Cohesive Powders under Vibration . . . . .                          | 61        |
| 4.1.1    | Bubble Volume Fraction . . . . .   | 62        |
| 4.1.2    | Bed Porosity . . . . .   | 63        |
| 4.2      | Residence Time Distribution . . . . .  | 65        |
| 4.2.1    | Reproducibility . . . . .  | 66        |
| 4.2.2    | Influence of Particle Mass Flow and Bed Height . . . . .                             | 69        |
| 4.2.3    | Influence of Moisture Content . . . . .  | 69        |
| 4.2.4    | Influence of Vibration . . . . .   | 73        |
| 4.3      | Drying Kinetics . . . . .  | 76        |
| 4.3.1    | Applicability of the Reaction Engineering Approach on Fluidized Bed Drying . . . . . | 76        |
| 4.3.2    | Reaction Engineering Approach Curves for Modeling of Fluidized Bed Drying . . . . .  | 81        |
| 4.4      | Model Implementation . . . . .   | 84        |
| 4.4.1    | Hydrodynamic Model . . . . .   | 84        |
| 4.4.2    | Thermodynamic Model . . . . .  | 89        |
| <b>5</b> | <b>Simulation Results</b>  | <b>93</b> |
| 5.1      | Validation . . . . .   | 93        |
| 5.1.1    | Validation for Geldart D Particles . . . . .   | 94        |
| 5.1.2    | Validation for Geldart B Particles . . . . .   | 98        |
| 5.1.3    | Validation for Dryer Geometries and Vibration . . . . .                              | 105       |
| 5.1.4    | Validation for Geldart A Particles . . . . .   | 110       |
| 5.2      | Sensitivity Analysis . . . . .   | 115       |
| 5.2.1    | Process Parameters . . . . .   | 115       |
| 5.2.2    | Model Assumptions . . . . .  | 117       |
| 5.2.3    | Residence Time Distribution . . . . .  | 117       |
| 5.2.4    | Heat Transfer - Dryer to Environment . . . . .                                       | 120       |
| 5.2.5    | Number of Transfer Units . . . . .   | 121       |

|   |            |
|---|------------|
| 5.3 Application . . . . .                                       | 125        |
| <b>6 Conclusion</b>   | <b>129</b> |
| <b>Appendix</b>   | <b>131</b> |
| <b>A Measurement Equipment</b>                                  | <b>131</b> |
| <b>B Supplementary Drying Kinetics Data</b>                     | <b>135</b> |
| <b>C Definition of Transfer Coefficients and Transfer Areas</b> | <b>137</b> |
| <b>D Supplementary Simulation Data</b>                          | <b>141</b> |
| <b>Bibliography</b>   | <b>151</b> |
| <b>Curriculum Vitae</b>   | <b>165</b> |