



Yifan Hua (Autor)

Biomarkers of acid-base status and their interrelationships with body fatness, glucocorticoids, and height

**Biomarkers of acid-base status
and their interrelationships with
body fatness, glucocorticoids,
and height**

Yifan Hua



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/8636>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

TABLE OF CONTENTS

| | |
|--|-------------|
| ACKNOWLEDGEMENTS | V |
| SUMMARY | VI |
| ZUSAMMENFASSUNG | VII |
| LIST OF PUBLICATIONS | VIII |
| TABLE OF CONTENTS | IX |
| LIST OF TABLES | XII |
| LIST OF FIGURES | XIII |
| LIST OF ABBREVIATIONS | XIV |
| 1 INTRODUCTION | 1 |
| 2 THEORETICAL BACKGROUNDS | 3 |
| 2.1 Acid-base balance | 3 |
| 2.1.1 Endogenous buffer system | 3 |
| 2.1.2 The kidney | 4 |
| 2.1.2.1 Function of proximal tubule and its response to acid loads | 5 |
| 2.1.2.2 Net acid excretion and urine pH | 8 |
| 2.1.2.3 Net acid excretion capacity | 8 |
| 2.1.3 Dietary influences on acid-base status | 10 |
| 2.1.3.1 Protein- vs. fruits and vegetables-rich diet | 10 |
| 2.1.3.2 Urinary potential renal acid load | 11 |
| 2.1.3.3 Dietary potential renal acid load | 12 |
| 2.1.3.4 Citric acid and its relation to the kidney | 13 |
| 2.1.4 Low-grade metabolic acidosis | 14 |
| 2.2 Modulation of acid-base function | 15 |
| 2.2.1 Body fatness | 15 |
| 2.2.1.1 Childhood overweight and obesity | 15 |
| 2.2.1.2 Adipose tissue | 15 |
| 2.2.1.3 Adipo–renal axis | 16 |
| 2.2.2 Adipose-derived adipokines | 17 |
| 2.2.2.1 Leptin and soluble intercellular adhesion molecule-1 | 17 |
| 2.2.2.2 Adiponectin | 19 |
| 2.2.2.3 Body fat–inflammation–acid-base relationship | 20 |
| 2.2.3 Glucocorticoids | 21 |
| 2.2.3.1 Biological background of glucocorticoids | 21 |

| | |
|--|-----------|
| 2.2.3.2 Glucocorticoid–acid-base relationship | 24 |
| 2.3 Higher protein intake and dietary alkalinity as anabolic stimuli | 25 |
| 2.3.1 Higher protein intake | 25 |
| 2.3.2 Dietary alkalinity | 27 |
| 3 RESEARCH QUESTIONS..... | 29 |
| 4 GENERAL METHODOLOGIES..... | 30 |
| 4.1 Study population and the DONALD Study..... | 30 |
| 4.2 Anthropometric measurement | 31 |
| 4.3 Pubertal stage assessment | 31 |
| 4.4 Dietary assessment..... | 32 |
| 4.5 Urinary measurement | 32 |
| 4.5.1 Acid-base biomarkers | 32 |
| 4.5.2 Glucocorticoids | 33 |
| 4.6 Blood measurement..... | 33 |
| 4.7 Statistical analysis | 34 |
| 4.7.1 Differences between two populations..... | 34 |
| 4.7.2 Multi-linear regression analysis (PROC GLM in SAS) | 35 |
| 4.7.3 Mixed linear regression analysis (PROC MIXED in SAS)..... | 36 |
| 4.7.4 Mediation analysis | 36 |
| 4.7.4.1 Baron and Kenny's steps for mediation analysis (PROC GLM in SAS)..... | 37 |
| 4.7.4.2 Causal mediation analysis (PROC CAUSALMED in SAS)..... | 37 |
| 4.7.5 Confounders and covariates | 38 |
| 4.7.6 Overview of statistical analyses | 40 |
| 5 STUDIES..... | 41 |
| 5.1 Study I — On the existence of the adipo-renal axis: increased body fatness adversely relates to 24-h urine pH already from childhood onward | 41 |
| 5.1.1 Abstract | 41 |
| 5.1.2 Introduction..... | 42 |
| 5.1.3 Methods..... | 42 |
| 5.1.4 Results..... | 45 |
| 5.1.5 Discussion | 49 |
| 5.2 Study II — Inflammatory mediators in the adipo-renal axis: leptin, adiponectin, and soluble ICAM-1 | 52 |
| 5.2.1 Abstract | 52 |
| 5.2.2 Introduction..... | 53 |

| | |
|---|-----------|
| 5.2.3 Methods..... | 54 |
| 5.2.4 Results | 56 |
| 5.2.5 Discussion | 60 |
| 5.3 Study III — Glucocorticoids within the physiological range inversely associate with renal citrate excretion in prepubertal children..... | 63 |
| 5.3.1 Abstract | 63 |
| 5.3.2 Introduction..... | 64 |
| 5.3.3 Methods..... | 64 |
| 5.3.4 Results | 65 |
| 5.3.5 Discussion | 69 |
| 5.4 Study IV — Adult stature and protein intake during childhood and adolescence from 3 years onward..... | 71 |
| 5.4.1 Abstract | 71 |
| 5.4.2 Introduction..... | 72 |
| 5.4.3 Methods..... | 72 |
| 5.4.4 Results | 74 |
| 5.4.5 Discussion | 79 |
| 6 GENERAL DISCUSSIONS..... | 82 |
| 6.1 Methodological considerations..... | 82 |
| 6.1.1 DONALD design and participants | 82 |
| 6.1.2 Anthropometric assessment | 83 |
| 6.1.3 Dietary assessment | 84 |
| 6.1.4 24-h urine collection and assessment | 84 |
| 6.2 Interpretation and implication of results | 86 |
| 6.2.1 Body fatness, inflammation, and acid-base status (Study I and Study II)..... | 86 |
| 6.2.2 Glucocorticoids and acid-base status (Study III)..... | 89 |
| 6.2.3 Protein intake, acid-base status, and adult stature (Study IV)..... | 91 |
| 6.3 Conclusion and perspectives..... | 95 |
| 7 References | 97 |