



Norman Ruhnke (Autor)

# A deep ultraviolet laser light source by frequency doubling of GaN based external cavity diode laser radiation




69

Forschungsberichte aus dem

Ferdinand-Braun-Institut,  
Leibniz-Institut  
für Höchstfrequenztechnik

Innovationen mit Mikrowellen & Licht

A deep ultraviolet laser light source  
by frequency doubling of GaN based  
external cavity diode laser radiation



Norman Ruhnke

<https://cuvillier.de/de/shop/publications/8642>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Fundamentals for frequency doubling with GaN based laser diodes</b>	<b>7</b>
2.1	Nonlinear optics . . . . .	8
2.1.1	Second harmonic generation . . . . .	9
2.2	Nonlinear materials for deep ultraviolet light generation . . . . .	12
2.3	Birefringent phase matching in BBO . . . . .	14
2.3.1	Angle tuning . . . . .	16
2.3.2	Phase matching tolerances . . . . .	18
2.4	Second harmonic generation with focused Gaussian beams . . . . .	20
<b>3</b>	<b>Characterization of the applied laser diode</b>	<b>23</b>
3.1	Working principle of laser diodes and vertical layer structure . . . . .	24
3.2	Longitudinal modes . . . . .	26
3.3	Optical gain and threshold condition . . . . .	27
3.4	Electro-optical characteristics . . . . .	28
3.5	Spectral emission characteristics . . . . .	29
3.6	Spatial emission characteristics . . . . .	31
3.7	Implications for the development of a deep ultraviolet laser light source . . . . .	35
<b>4</b>	<b>External cavity diode lasers as pump sources for DUV generation</b>	<b>37</b>
4.1	Wavelength stabilization by external optical feedback . . . . .	37
4.1.1	ECDLs with surface diffraction gratings . . . . .	40
4.2	Macroscopic external cavity diode laser in Littrow configuration . . . . .	44
4.2.1	Experimental Setup . . . . .	45
4.2.2	Electro-optical characteristics . . . . .	48
4.2.3	Spectral emission characteristics . . . . .	51
4.2.4	Wavelength tuning . . . . .	54
4.2.5	Spatial emission characteristics . . . . .	55
4.3	Volume-Bragg-Grating stabilized external cavity diode laser module ( $\mu$ ECDL) . . . . .	56
4.3.1	Working principle of volume Bragg gratings . . . . .	57
4.3.2	Concept and development of the $\mu$ ECDL module . . . . .	60
4.3.3	Electro-optical characteristics . . . . .	64
4.3.4	Spectral emission characteristics . . . . .	65
4.3.5	Temporal stability of the $\mu$ ECDL emission . . . . .	68
4.3.6	Spatial emission characteristics . . . . .	69
4.4	Summary . . . . .	70
<b>5</b>	<b>Compact deep ultraviolet laser light source</b>	<b>71</b>
5.1	Proof-of-concept setup with macroscopic ECDL as pump source . . . . .	72
5.1.1	Detection of deep ultraviolet light . . . . .	74
5.1.2	Investigation of conversion efficiency and phase matching tolerances . . . . .	76

---

5.2	Micro-integrated ECDL module as pump source . . . . .	85
5.2.1	Compact deep ultraviolet laser light source . . . . .	85
5.2.2	Optimization of the focusing conditions . . . . .	87
<b>6</b>	<b>Conclusion and Outlook</b>	<b>93</b>
<b>A</b>	<b>Datasheet information for laser diode PL TB450B (Osram Opto Semi- conductors GmbH)</b>	<b>97</b>
	<b>Bibliography</b>	<b>99</b>
	<b>List of Figures</b>	<b>111</b>
	<b>List of Tables</b>	<b>117</b>