



Stephan Renninger (Autor)  
**Sustainable Production of Carbon Monoxide by  
Direct Current Gas Discharge**

Herausgeber: Prof. Dr. Kai Peter Birke

**ENERGIE & NACHHALTIGKEIT**  
Nachhaltige CO<sub>2</sub>-Kreisläufe

Stephan Renninger

**Sustainable Production of Carbon Monoxide  
by Direct Current Gas Discharge**

Elektrische  
Energiespeichersysteme



Nachhaltige  
CO<sub>2</sub>-Kreisläufe



Elektromobilität &  
Batterietechnologie



Cuvillier Verlag Göttingen  
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/8761>

Copyright:  
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany  
Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>Abstract</b>	<b>1</b>
<b>Kurzfassung</b>	<b>3</b>
<b>1 Introduction</b>	<b>5</b>
1.1 Scope of this Work . . . . .	7
1.2 Resource Chains of the Circular Economy . . . . .	9
1.3 Carbon Utilization Technologies . . . . .	10
1.4 Plasma Technology in the Chemical Industry . . . . .	11
<b>2 Theoretical Background</b>	<b>13</b>
2.1 Plasma . . . . .	13
2.1.1 Formation . . . . .	14
2.1.2 Excited Particles . . . . .	15
2.1.3 Various Discharges & their Electrical Properties . . . . .	18
2.1.4 Plasma at Elevated Pressure . . . . .	25
2.1.5 Magnetic Fields . . . . .	27
2.1.6 Measurement Techniques . . . . .	29
2.2 Chemistry . . . . .	30
2.2.1 The CO <sub>2</sub> Reduction Reaction . . . . .	30
2.2.2 Relevant Quantities and their Derivation . . . . .	32
2.2.3 Chemical Equilibrium and Plasma . . . . .	35
2.2.4 Chemical Reaction Systems . . . . .	37
2.3 Electrical . . . . .	40
2.3.1 Plasma Sources . . . . .	42
2.3.2 Current Limiting . . . . .	43
2.3.3 Royer and Baxandall Oscillator . . . . .	46
2.3.4 LLC-Converter . . . . .	47

---

2.3.5	Ignition Methods and Circuits . . . . .	51
<b>3</b>	<b>Experimental Methods</b>	<b>55</b>
3.1	Electrical Assembly . . . . .	59
3.1.1	Mk 1 Driver Circuit . . . . .	60
3.1.2	Mk 2 Driver Circuit . . . . .	60
3.1.3	Measurements of Electronics . . . . .	61
3.2	Gas Sensing . . . . .	62
3.3	Plasma Characterisation . . . . .	63
3.3.1	Rate of Rotation . . . . .	63
3.3.2	Distribution of the Electric Field . . . . .	63
3.3.3	Power Density . . . . .	64
3.4	Feasibility Studies . . . . .	65
3.4.1	Energy and Mass Balance . . . . .	65
<b>4</b>	<b>Characteristics of the Reactor, Driver and Discharge</b>	<b>69</b>
4.1	Discharge Structure . . . . .	69
4.1.1	Discharge Classification . . . . .	70
4.2	Ignition and Operating Range . . . . .	72
4.3	Voltage and Current Characteristics . . . . .	73
4.4	Influence of the Magnetic Field . . . . .	75
4.4.1	Ideal and Observed Rotation Rate . . . . .	79
4.4.2	V/I Curves in Relation to Magnetic Field . . . . .	81
4.5	Driver Efficiency . . . . .	83
4.6	Summary . . . . .	86
<b>5</b>	<b>CO<sub>2</sub> Splitting in the DC Discharge</b>	<b>87</b>
5.1	CO <sub>2</sub> Splitting in the Mk 1 Reactor . . . . .	87
5.2	CO <sub>2</sub> Splitting in the mk2 Reactor . . . . .	88
5.3	Comparison to Literature Data and Review . . . . .	91
5.3.1	Comparison to Other Plasma Technologies . . . . .	93
5.3.2	Comparison to Other Fields . . . . .	97
5.3.3	Summary . . . . .	100
<b>6</b>	<b>Energy Efficient CO Production Processes</b>	<b>101</b>
6.1	Calcium Carbonate Reduction: The <i>BlueFire</i> -Process . . . . .	102
6.1.1	Experimental Results and Interpretation . . . . .	102

---

---

6.1.2	Proposed Improvements . . . . .	104
6.1.3	Design Principles and Example . . . . .	106
6.2	Plasma Waste Reforming: The <i>Cyclize</i> -Process . . . . .	107
6.2.1	Experimental Results and Interpretation . . . . .	108
6.2.2	Proposed Improvements . . . . .	113
6.2.3	Design Principles . . . . .	113
6.3	Summary . . . . .	126
<b>7</b>	<b>Feasibility Calculations</b>	<b>127</b>
7.1	CO <sub>2</sub> splitting and Water Electrolysis . . . . .	128
7.2	Plasma Waste Reforming . . . . .	132
7.3	Other Processes . . . . .	136
7.4	Sensitivity Analysis . . . . .	139
7.5	CO <sub>2</sub> -Emissions . . . . .	141
7.6	Summary . . . . .	142
	<b>Conclusion</b>	<b>144</b>
	<b>A Different Approaches to Conversion: A Short Proof</b>	<b>148</b>
	<b>B Calculation of Conversion in Dry Reforming</b>	<b>150</b>
	<b>C Plasma Source Cost Lineup</b>	<b>152</b>
	<b>D Preliminary Results of the LLC Plasma Driver</b>	<b>154</b>
	<b>Abbreviations</b>	<b>159</b>
	<b>List of Tables</b>	<b>165</b>
	<b>List of Figures</b>	<b>166</b>
	<b>Index</b>	<b>170</b>
	<b>Bibliography</b>	<b>171</b>
	<b>Publications</b>	<b>185</b>
	<b>Curriculum Vitae</b>	<b>187</b>
	<b>Acknowledgements</b>	<b>189</b>

---