



Mohamed Khalil Ben-Larbi (Autor)
**Guidance, Control and Docking for CubeSat-based
Active Debris Removal**



<https://cuvillier.de/de/shop/publications/8869>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

Contents - Inhalt	iv
Acknowledgments	v
Abstract	ix
Kurzzusammenfassung	xi
Nomenclature	xiii
Acronyms	xiii
Symbols	xvii
1 Introduction	1
1.1 Motivation	1
1.1.1 The evolution of space technology and environment	1
1.1.2 Problem statement	5
1.2 State of the art	5
1.2.1 Historical overview of rendezvous in space	5
1.2.2 Mission architecture and operations for rendezvous and docking	6
1.2.3 Rendezvous and docking with a non-cooperative target	7
1.2.4 Proposed ADR concepts	8
1.2.5 Small satellite ADR	10
1.2.6 Conclusions and Research Gaps	12
1.3 Objectives and Thesis Approach	12
1.3.1 Research questions formulation	12
1.3.2 Thesis Structure and Methodology	13
2 Technical Challenges for CubeSat based ADR	15
2.1 Current and Future Space Debris Challenges	15
2.1.1 The Space Debris Population	15
2.1.2 Recent Trends and Long Term Evolution	17
2.2 Prioritization of potential targets for ADR	19
2.2.1 Environmental metrics	19
2.2.2 Mission challenges	22
2.3 The Evolution of CubeSat	22
2.3.1 CubeSat Propulsion	23
2.3.1.1 Chemical Propulsion	23
2.3.1.2 Electric Propulsion	25
2.3.2 CubeSat GNC	26
2.3.3 Other CubeSat Subsystems	26
3 Concept of Operations for CubeSat based ADR	27
3.1 Mission objectives and design drivers	27
3.1.1 Objectives and boundary conditions	27
3.1.2 Success criteria	28
3.1.3 Deorbiting strategy	28
3.1.4 Power management	30
3.2 Mission and system analysis	30
3.2.1 Design reference mission	30
3.2.2 Requirements decomposition and allocation	32
3.2.3 Functional Architecture	33
3.2.4 Physical architecture	34

3.2.5	Design and performance analysis	36
4	Spacecraft Relative Motion Modeling	37
4.1	Theoretical background	37
4.1.1	Reference frames	37
4.1.2	Relative motion models	38
4.2	Dynamics of relative motion	39
4.2.1	Linearized equations of relative motion	39
4.2.2	State-space representation	40
4.2.3	Solution of the linearized equations of motion	40
4.2.4	Relative orbital elements	42
4.2.5	Inclusion of perturbations	43
4.3	Final Comments	45
5	Modeling and simulation methodology	47
5.1	Adopted modeling and simulation approach	47
5.1.1	Systems engineering	47
5.1.2	The Verification and Validation Issue	48
5.1.3	Modeling and Simulation	49
5.1.4	Conclusion and proposed strategy	51
5.2	Simulation environments description	53
5.2.1	The DIFFRACT environment	53
5.2.2	The SCATTER environment	54
5.2.3	The ELISSA environment	55
5.2.4	The ASTROBEE environment	56
6	Design and Qualification of an Active Air Bearing Table	57
6.1	State of the art of air bearing based dynamic simulators	57
6.1.1	Degrees of freedom	59
6.1.2	Propulsion	60
6.1.3	Navigation	61
6.2	ELISSA requirements and design	62
6.2.1	Concept of Operations	62
6.2.2	Aeromechanical subsystem design	63
6.2.3	Motion capture subsystem design	64
6.2.4	Free flyer subsystem design	65
6.2.5	Mission Control subsystem design	68
6.3	ELISSA Characterization and Qualification Testing	72
6.3.1	Qualitative evaluation of the final design	72
6.3.2	Residual acceleration	72
6.3.3	Control Accuracy	74
7	Low-Thrust Guidance Strategy	77
7.1	Relative motion guidance formulation	77
7.1.1	Gauss' variational equations	78
7.1.2	Impulsive thrust formulation for relative guidance	78
7.1.3	Relation to the relative state transition matrix	79
7.1.4	Finite-duration thrust formulation for relative guidance	79
7.2	Impulsive thrust maneuver design	80
7.2.1	Normal maneuvers	80
7.2.2	Tangential maneuvers	81
7.2.3	Radial maneuvers	82
7.3	Finite-duration thrust maneuver design	82
7.3.1	Normal maneuvers	82
7.3.2	Tangential maneuvers	83
7.3.3	Radial maneuvers	84
7.4	Proposed guidance schemes	84
7.4.1	Impulsive 4T2N scheme	84
7.4.2	Impulsive 2R2T2N scheme	85

7.4.3	Finite-duration thrust planning	88
7.5	Simulation Results	89
7.5.1	Impulsive planing verification	89
7.5.2	Finite-duration planing verification	90
8	Feedback Linearized Differential Drag Control	95
8.1	The concept of differential drag control	95
8.1.1	Previous work	95
8.1.2	proposed approach	97
8.2	Control Design	97
8.2.1	Controllability Considerations	97
8.2.2	Input-output linearization	99
8.2.3	Stability Analysis	101
8.3	Numerical Validation	103
8.3.1	Simulation Scenario	103
8.3.2	Reference trajectory generation	104
8.3.3	Simulation setup	105
8.3.4	Performance Evaluation	107
9	Docking using Gecko-inspired Adhesives	111
9.1	Bio-inspired micropatterned dry adhesives	111
9.1.1	Adhesion contact splitting principle	112
9.1.2	Manufacturing techniques and industrial applications	113
9.2	Micropatterned dry adhesives for active debris removal	114
9.2.1	Anisotropic MDA used in space robotics	116
9.2.2	Isotropic MDA used in space robotics	116
9.2.3	Performed docking experiments	118
9.3	Docking mechanism design and technical equipment	121
9.3.1	Chaser mechanism design	121
9.3.2	Selected MDA specimen	123
9.3.3	Target mechanism design	126
9.3.4	Selected target samples	126
9.4	Ground Testing	127
9.4.1	Experimental realization on ELISSA	127
9.4.2	Results and evaluation of ELISSA test campaign	131
9.4.3	The validation test campaign at NASA ARC	134
9.5	On-orbit testing	136
9.5.1	Flight hardware integration and launch	137
9.5.2	Installation and checkout procedure	137
9.5.3	Crew and ground operations	138
9.5.4	Results and evaluation	140
10	Conclusion and Outlook	145
10.1	Conclusions	145
10.1.1	Summary	145
10.1.2	Research Contributions	146
10.2	Limitations and Outlook	147
	References	150
A	CubeSat Hardware	171
A.1	Overview of CubeSat COTS components	171
A.1.1	PropulsionsSubsystem	171
A.1.2	EPS subsystem	174
A.1.3	GNC subsystem	174
A.2	Selection of CubeSat hardware for the reference mission scenario	174

B	Additional Data for Guidance and Control	177
B.1	Differential drag control data	177
B.1.1	Transition times	177
B.1.2	Settings for automatic PID tuning in Matlab	177
B.1.3	PID feedback gains	178
B.1.4	IOL gains	179
B.2	Guidance additional plots	179
C	Additional Data for Docking	183
C.1	Docking mechanism additional drawings	183
C.1.1	Chaser mechanism drawings	183
C.2	Ground experiments	184
C.2.1	Surface roughness of target samples	184
C.2.2	Force measurement during docking	186
C.2.3	ELISSA docking results	188
C.2.4	ARC granite lab docking results	190
C.3	On-orbit experiments	196