



Araz Ardehali Barani (Autor)

**Optimization of the Critical Content of Tramp
Elements in Ultra-High Strength Silicon Chromium
Spring Steels through Thermomechanical Treatment**

Araz Ardehali Barani

**Optimization of the Critical Content of Tramp
Elements in Ultra-High Strength Silicon
Chromium Spring Steels through
Thermomechanical Treatment**

 Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/1492>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

TABLE OF CONTENTS

1 Scope of thesis	1
2 Theoretical background	5
2.1 Ferrous martensite	5
2.1.1 Martensite transformation.....	6
2.1.1.1 Nucleation	9
2.1.1.2 Growth	9
2.1.1.3 Crystallography of martensitic transformation	10
2.1.2 Martensite morphologies	12
2.1.3 Strength of martensite	14
2.1.4 Embrittlement of martensite	16
2.1.4.1 Fundamentals of grain boundary segregation	17
2.1.4.2 Carbide precipitation.....	21
2.2 Processing martensitic high strength steels	23
2.2.1 Austenitization	23
2.2.2 Austenite conditioning	25
2.2.3 Tempering.....	28
2.3 Strategy for optimization of mechanical properties	30
3 Experimental approach and methods	35
3.1 Approach	35
3.2 Materials	35
3.3 Sample processing	38
3.4 Mechanical testing.....	39
3.5 Microstructure characterization.....	41

4 Results and discussion	43
4.1 Definition of parameter windows	43
4.1.1 Austenitization	43
4.1.1.1 Experiments	43
4.1.1.2 Results	44
4.1.1.3 Discussion	44
4.1.2 Time-Temperature-Transformation	49
4.1.2.1 Experiments	49
4.1.2.2 Results	50
4.1.2.3 Discussion	50
4.1.3 Recrystallization behaviour	53
4.1.3.1 Experiments	54
4.1.3.2 Results	55
4.1.3.3 Discussion	58
4.1.4 Conclusion	59
4.2 Conventional Heat Treatment.....	60
4.2.1 Objective	60
4.2.2 Experimental	60
4.2.3 Results.....	61
4.2.3.1 Tempering temperature	61
4.2.3.2 Microalloying with vanadium	68
4.2.3.3 Effect of phosphorous on tensile properties.....	72
4.2.3.4 Effect of copper and tin.....	75
4.2.4 Discussion.....	79
4.2.4.1 Tempering temperature	79
4.2.4.2 Microalloying with vanadium	80
4.2.4.3 Effect of phosphorous	81
4.2.4.4 Effect of copper and tin.....	83
4.3 Thermomechanical Treatment.....	86
4.3.1 Objective.....	86
4.3.2 Definition of deformation temperature	86
4.3.2.1 Experimental	86

4.3.2.2 Results	87
4.3.2.3 Discussion	100
4.3.3 Austenitization temperature and strategy for thermomechanical treatment	104
4.3.3.1 Experimental	104
4.3.3.2 Results	105
4.3.3.3 Discussion	108
4.3.3 Tensile property after austenite conditioning	110
4.3.3.1 Experimental	110
4.3.3.2 Results	111
4.3.3.3 Discussion	117
4.3.4 Fatigue Results.....	121
4.3.4.1 Experimental	121
4.3.4.2 Results	121
4.3.4.3 Discussion	124
4.3.5 Microalloying and thermomechanical treatment	127
4.3.5.1 Results	127
4.3.5.2 Discussion	130
5 Final discussion.....	135
5.1 Process and impurity element effect.....	136
5.2 Morphology of grain boundary carbides	140
5.3 Refinement of martensite microstructure	142
6 Summary and conclusion.....	149
7 References	152
Zusammenfassung (abstract in German)	159
Lebenslauf (Curriculum Vitae)	163