




Yanfang Wu (Autor)

**Exploration of specific properties and functions of
specific members of the NF-Y family**



<https://cuvillier.de/de/shop/publications/6284>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Table of Contents

| | |
|--|----|
| Table of Contents | 5 |
| Abstract..... | 11 |
| Zusammenfassung | 12 |
| List of Abbreviations | 13 |
| 1. Introduction | 17 |
| 1.1 Transcriptional regulation in eukaryotes | 17 |
| 1.2 CCAAT box..... | 18 |
| 1.3 Transcription factor NF-Y | 19 |
| 1.4 Structures and molecular functions of NF-Y..... | 20 |
| 1.4.1 NF-YA..... | 20 |
| 1.4.2 NF-YB and NF-YC | 22 |
| 1.4.3 NF-Y and chromatin..... | 22 |
| 1.5 Biological functions of NF-Y subunits in <i>Arabidopsis</i> | 23 |
| 1.5.1 NF-Y subunits play a role in embryogenesis..... | 24 |
| 1.5.2 NF-Y subunits are involved in the regulation of photosynthesis | 25 |
| 1.5.3 NF-Y subunits regulate the flowering time | 26 |
| 1.5.4 NF-Y subunits are important for drought stress and nitrogen starvation | 28 |
| 1.5.5 NF-Y subunits induce ER stress signals..... | 30 |
| 1.5.6 NF-Y subunit is involved in regulating root elongation..... | 30 |
| 1.6 Aims of the work | 31 |
| 2. Materials and Methods | 32 |
| 2.1 Materials | 32 |
| 2.1.1 Chemicals | 32 |
| 2.1.2 Enzymes | 32 |
| 2.1.3 Kits | 32 |



| | | |
|---------|--|----|
| 2.1.4 | Antibiotics | 33 |
| 2.1.5 | Buffers | 33 |
| 2.1.6 | Media..... | 34 |
| 2.1.7 | Primers | 34 |
| 2.2 | Methods | 36 |
| 2.2.1 | Working with DNA..... | 36 |
| 2.2.1.1 | Plasmid preparation from <i>E. coli</i> | 36 |
| 2.2.1.2 | DNA gel electrophoresis..... | 37 |
| 2.2.1.3 | DNA Sequencing | 37 |
| 2.2.1.4 | Genomic DNA isolation from <i>Arabidopsis</i> | 38 |
| 2.2.1.5 | PCR..... | 38 |
| 2.2.2 | Working with RNA | 39 |
| 2.2.2.1 | RNA isolation from plant tissue | 39 |
| 2.2.2.2 | RNA concentration measurement | 39 |
| 2.2.2.3 | RNA formaldehyde agarose gel..... | 40 |
| 2.2.2.4 | DNase treatment..... | 40 |
| 2.2.2.5 | Reverse transcription | 40 |
| 2.2.2.6 | Quantitative RT-PCR..... | 40 |
| 2.2.2.7 | Northern blot..... | 42 |
| 2.2.3 | Working with protein | 44 |
| 2.2.3.1 | Protein over-expression in <i>E. coli</i> and protein purification | 44 |
| 2.2.3.2 | Total protein isolation from <i>Arabidopsis</i> | 45 |
| 2.2.3.3 | Nuclear extract from <i>Arabidopsis</i> leaves | 45 |
| 2.2.3.4 | Protein precipitation with TCA..... | 46 |
| 2.2.3.5 | Protein concentration measurement | 46 |
| 2.2.3.6 | SDS-PAGE | 47 |
| 2.2.3.7 | Silver staining | 47 |



| | | |
|----------|---|----|
| 2.2.3.8 | Poorman's method to purify antibody..... | 48 |
| 2.2.3.9 | Western blot | 48 |
| 2.2.4 | Bacterial..... | 49 |
| 2.2.4.1 | Preparation of electro-competent cells..... | 49 |
| 2.2.4.2 | Electroporation | 49 |
| 2.2.4.3 | Colony PCR | 50 |
| 2.2.5 | Plant treatment..... | 50 |
| 2.2.5.1 | Seeds sterile..... | 50 |
| 2.2.5.2 | Seed germination under ABA treatment | 50 |
| 2.2.5.3 | Constructs and generation of <i>NF-YB3</i> and <i>NF-YA5</i> over-expression <i>Arabidopsis</i> plants | 50 |
| 2.2.5.4 | Histochemical analysis of GUS expression | 51 |
| 2.2.5.5 | Measurement of flowering time | 52 |
| 2.2.5.6 | Crossing <i>Arabidopsis</i> plants..... | 53 |
| 2.2.5.7 | Drought stress..... | 53 |
| 2.2.5.8 | Wounding of <i>Arabidopsis</i> leaves | 53 |
| 2.2.5.9 | Salt stress..... | 53 |
| 2.2.5.10 | Microscopic observation | 54 |
| 3. | Results | 55 |
| 3.1 | Generation of antibodies against specific members of the NF-Y family | 55 |
| 3.1.1 | Cross immune response of antibodies raised against full-length recombinant NF-Y proteins | 55 |
| 3.1.2 | Alignment of NF-YC protein sequences | 56 |
| 3.1.3 | Cloning and expression of GST-truncated-NF-YC2 protein in <i>E. coli</i> | 57 |
| 3.1.4 | Specificity of the polyclonal antibody against GST-truncated-NF-YC2 protein 58 | |
| 3.1.5 | Specific immune reaction with <i>Arabidopsis</i> protein extracts..... | 59 |



| | | |
|---------|---|----|
| 3.2 | Expression patterns of specific <i>NF-Y</i> genes encoding specific subunits in different tissues and at different developmental stages | 60 |
| 3.3 | Functional analysis of <i>NF-YB3</i> | 62 |
| 3.3.1 | Expression pattern of <i>NF-YB3</i> | 62 |
| 3.3.1.1 | Analysis of <i>NF-YB3</i> expression by promoter-GUS fusion..... | 62 |
| 3.3.1.2 | <i>NF-YB3</i> expression pattern deduced from available microarray data | 63 |
| 3.3.2 | The flowering time in <i>Arabidopsis</i> is regulated by <i>NF-YB3</i> under long day conditions | 64 |
| 3.3.2.1 | Alignment of sequences of <i>NF-YB</i> subunit protein family | 64 |
| 3.3.2.2 | Molecular characterization of <i>NF-YB3</i> T-DNA insertion mutant plants ... | 65 |
| 3.3.2.3 | <i>NF-YB3</i> regulates flowering time by promoting <i>FT</i> expression..... | 67 |
| 3.3.3 | Can <i>NF-YB3</i> modulate the drought responses in <i>Arabidopsis</i> ? | 68 |
| 3.3.3.1 | <i>NF-YB3</i> strongly expresses in guard cells | 68 |
| 3.3.3.2 | The <i>nf-yb3</i> mutant behaves like WT under drought conditions..... | 69 |
| 3.3.4 | The <i>nf-yb3</i> mutants are not sensitive to ABA during seed germination | 71 |
| 3.3.5 | The <i>nf-yb3</i> mutant plants are more sensitive to salt stress | 72 |
| 3.3.6 | <i>NF-YB3</i> functions in signaling pathway responsive to wounding | 73 |
| 3.3.6.1 | The <i>NF-YB3</i> promoter activity is regulated by wounding..... | 73 |
| 3.3.6.2 | <i>NF-YB3</i> expression is induced by wounding | 74 |
| 3.3.6.3 | <i>NF-YB3</i> plays a role upstream of <i>VSP1</i> in jasmonate signaling pathway. | 75 |
| 3.3.7 | Generation of <i>35S::NF-YB3</i> transgenic <i>Arabidopsis</i> | 76 |
| 3.3.8 | Generation of <i>35S::NF-YB3x 35S::NF-YC2</i> double over-expression plants | 77 |
| 3.4 | Functional analysis of <i>NF-YA5</i> | 80 |
| 3.4.1 | Identification of <i>nf-ya5</i> knock-out mutants | 80 |
| 3.4.2 | Flowering time phenotypes of <i>nf-ya5</i> mutant | 82 |
| 3.4.3 | Expression of <i>FT</i> , <i>SOC1</i> and <i>API</i> is reduced in <i>nf-ya5</i> mutant under long-day conditions | 83 |
| 3.4.4 | <i>NF-YA5</i> expression is not modified in the <i>co</i> mutant..... | 84 |



| | | |
|--------|---|-----|
| 3.4.5 | Generation of <i>NF-YA5</i> over-expressing plants | 85 |
| 3.4.6 | <i>35S::NF-YA5</i> plants show no flowering phenotype | 86 |
| 3.4.7 | <i>35S::NF-YA5</i> plants show a dwarf phenotype..... | 87 |
| 3.4.8 | Anatomical analysis of <i>35S::NF-YA5</i> plants | 89 |
| 3.4.9 | Effects of <i>NF-YA5</i> over-expression on gene expression | 91 |
| 3.4.10 | The dwarf phenotype is not rescued by exogenous GA | 91 |
| 4. | Discussion..... | 93 |
| 4.1 | NF-Y subunits regulate flowering time through a photoperiod way | 93 |
| 4.2 | NF-YA5 plays a role in plant growth and development | 97 |
| 4.3 | NF-YB3 is involved in wounding stress responses | 100 |
| | Reference | 104 |
| | Acknowledgements | 118 |
| | Lebenslauf | 119 |
| | Erklärung | 121 |