



Mahmoud Saleh Mahmoud Mohamed (Autor)

Alleviation of oxidative stress and detoxification of lipid peroxidation products by flavin-dependent oxidoreductases in plants



UNIVERSITÄT HOHENHEIM
SCHRIFTENREIHE ZUR PHYSIOLOGIE UND
BIOTECHNOLOGIE DER PFLANZEN



Mahmoud Saleh Mahmoud Mohamed

Alleviation of oxidative stress and detoxification of lipid peroxidation products by flavin-dependent oxidoreductases in plants

A. Schaller (Herausgeber) - Band 2



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/6309>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Table of Contents

Table of Contents

| | |
|---|------|
| Table of contents..... | I |
| List of Figures..... | VII |
| List of Tables..... | XI |
| Abbreviations..... | XIII |
| 1. Introduction..... | 1 |
| 1.1 ROS production in different organelles | 2 |
| 1.2 Oxidative damage | 4 |
| 1.2.1 Protein oxidative damage..... | 4 |
| 1.2.2 Lipid peroxidation..... | 4 |
| 1.2.3 DNA oxidative damage..... | 6 |
| 1.3 ROS scavenging..... | 7 |
| 1.3.1 The non-enzymatic antioxidants | 7 |
| 1.3.2 The enzymatic antioxidants | 9 |
| 1.4 RES scavenging | 11 |
| 1.4.1 Flavin-dependent oxidoreductases | 11 |
| 1.4.2 Yeast Old Yellow Enzymes (OYEs)..... | 12 |
| 1.4.3 Old Yellow Enzyme homologues from bacteria..... | 13 |
| 1.4.4 12-Oxophytodienoic acid reductases (OPRs) | 15 |
| 1.4.4.1 OPR substrate specificity..... | 16 |
| 1.4.4.2 OPR subgroup II: <i>A. thaliana</i> OPR3..... | 19 |
| 1.4.4.3 <i>A. thaliana</i> OPR subgroup I..... | 20 |
| 1.5 Aim of the present study | 20 |
| 2. Materials and methods | 23 |
| 2.1 Materials..... | 23 |

Table of Contents

| | | |
|-----------|---|----|
| 2.1.1 | Chemicals and research products | 23 |
| 2.1.2 | Equipment | 23 |
| 2.1.3 | Biological materials | 25 |
| 2.1.3.1 | Plants | 25 |
| 2.1.3.1.1 | <i>Arabidopsis thaliana</i> | 25 |
| 2.1.3.1.2 | <i>Nicotiana benthamiana</i> | 26 |
| 2.1.3.2 | Bacterial strains..... | 26 |
| 2.1.3.2.1 | <i>Agrobacterium tumefaciens</i> | 26 |
| 2.1.3.2.2 | <i>Escherichia coli</i> | 26 |
| 2.1.3.3 | Yeast | 27 |
| 2.1.4 | Culture media and supplements | 28 |
| 2.1.4.1 | Bacterial culture media | 28 |
| 2.1.4.2 | Yeast culture media..... | 29 |
| 2.1.4.3 | Plant culture media | 29 |
| 2.1.5 | Antibiotics and supplements | 30 |
| 2.1.6 | Oligonucleotides | 30 |
| 2.1.7 | Vectors | 33 |
| 2.1.8 | Antibodies | 34 |
| 2.2 | Methods..... | 34 |
| 2.2.1 | <i>Nicotiana benthamiana</i> growth conditions | 34 |
| 2.2.1.1 | Agro-infiltration in <i>N. benthamiana</i> leaves | 34 |
| 2.2.2 | <i>Arabidopsis</i> growth and cultivation methods..... | 35 |
| 2.2.2.1 | Soil culture | 35 |
| 2.2.2.2 | Media culture | 36 |
| 2.2.3 | Stable transformation of <i>Arabidopsis</i> | 36 |

Table of Contents

| | |
|---|----|
| 2.2.4 Preperation of mesophyll protoplasts..... | 37 |
| 2.2.5 Transient transformation with a particle gun | 37 |
| 2.2.6 Fluorescence microscopy..... | 38 |
| 2.2.7 Preparation of <i>E. coli</i> competent cells | 38 |
| 2.2.8 Preparation of <i>A. tumefaciens</i> competent cells | 39 |
| 2.2.9 Preparation of <i>Pichia pastoris</i> electrocompetent cells..... | 39 |
| 2.2.10 Transformation of DNA into bacterial host cells..... | 39 |
| 2.2.11 Chemical transformation of <i>E. coli</i> Rosetta-gamiB strain | 40 |
| 2.2.12 Transformation of <i>Pichia pastoris</i> | 40 |
| 2.2.13 Nucleic acid methods | 40 |
| 2.2.13.1 Isolation of plasmid DNA..... | 40 |
| 2.2.13.2 Isolation of genomic DNA from <i>Arabidopsis</i> | 41 |
| 2.2.13.3 Isolation of total RNA from <i>Arabidopsis</i> | 42 |
| 2.2.13.4 Polymerase chain reaction (PCR) techniques | 42 |
| 2.2.13.4.1 Standard PCR method | 42 |
| 2.2.13.4.2 Reverse Transcription PCR (RT-PCR) | 44 |
| 2.2.13.4.3 Quantitative RT-PCR (qRT-PCR) | 44 |
| 2.2.13.5 PCR product purification | 45 |
| 2.2.13.6 DNA Gel electrophoresis..... | 45 |
| 2.2.13.7 Isolation of DNA fragments from agarose gels | 46 |
| 2.2.13.8 Cloning methods | 46 |
| 2.2.13.8.1 Topo cloning | 46 |
| 2.2.13.8.2 Restriction digest and analysis | 46 |
| 2.2.13.8.3 Dephosphorylation of vector ends | 46 |
| 2.2.13.8.4 Ligation | 47 |

Table of Contents

| | |
|---|----|
| 2.2.13.8.5 Site-directed mutagenesis..... | 47 |
| 2.2.14 Protein expression and purification..... | 49 |
| 2.2.14.1 Heterologous expression of <i>AtOPR5</i> | 49 |
| 2.2.14.2 Preparation of total cell protein for SDS-PAGE..... | 49 |
| 2.2.14.3 Protein solubility check..... | 49 |
| 2.2.14.4 Preparation of cleared cell lysate | 50 |
| 2.2.14.5 Protein extraction from yeast (<i>P. pastoris</i>)..... | 50 |
| 2.2.14.6 Protein purification by affinity chromatography | 51 |
| 2.2.14.6.1 Ni ²⁺ -NTA affinity chromatography | 51 |
| 2.2.14.6.2 Glutathione affinity chromatography | 51 |
| 2.2.14.7 Buffer exchange and desalting of protein solutions..... | 51 |
| 2.2.14.7.1 Dialysis..... | 51 |
| 2.2.14.7.2 Ultrafiltration..... | 52 |
| 2.2.14.8 Size exclusion chromatography | 52 |
| 2.2.14.9 Denaturation and refolding of proteins | 52 |
| 2.2.15 Enzyme activity assay..... | 52 |
| 2.2.16 Purification of inclusion bodies for production of antibodies..... | 53 |
| 2.2.17 Purification of polyclonal antibodies | 53 |
| 2.2.18 Protein analysis | 54 |
| 2.2.18.1 Extraction of plant cellular protein | 54 |
| 2.2.18.2 Determination of protein concentration | 54 |
| 2.2.18.3 Preparation of SDS-Polyacrylamide gels..... | 55 |
| 2.2.18.4 Electrophoresis of protein | 55 |
| 2.2.18.5 Coomassie staining of proteins separated by SDS-PAGE | 56 |
| 2.2.18.6 Western Blot analysis | 56 |

Table of Contents

| | |
|--|----|
| 2.2.18.7 Immunological protein detection | 57 |
| 2.2.18.8 Ponceau stain | 57 |
| 2.2.19 Biological assays..... | 58 |
| 2.2.19.1 High-light treatment..... | 58 |
| 2.2.19.2 The variable-to-maximal chlorophyll fluorescence ratio..... | 58 |
| 2.2.19.3 Methyl Vinyl Keton (MVK) Treatment..... | 59 |
| 2.2.19.4 Trypan Blue staining for cell death..... | 59 |
| 2.2.19.5 GUS staining of <i>Arabidopsis</i> | 59 |
| 2.2.19.6 Bacterial growth curves | 60 |
| 2.2.20 Statistical analysis | 60 |
| 3. Results..... | 61 |
| 3.1 Molecular characterization of <i>AtOPR5/6</i> | 61 |
| 3.1.1 Isolation of transformants showing <i>OPR5/6</i> silencing | 61 |
| 3.2 Phenotypic characterization of transgenic plants..... | 66 |
| 3.2.1 High-light stress induces photoinhibition in <i>OPR5/6</i> silenced plants..... | 66 |
| 3.2.2 The high-light stress response correlates with expression levels of <i>OPR5/6</i> 68 | 68 |
| 3.2.3 Photoinhibition in <i>OPR1-5/6</i> transgenic plants | 70 |
| 3.2.4 Plant cell death in response to methyl vinyl ketone (MVK) | 73 |
| 3.3 Cloning of <i>AtOPR5/6</i> cDNAs | 75 |
| 3.4 Subcellular localization of <i>AtOPR5/6</i> | 78 |
| 3.4.1 Expression of <i>AtOPR5/6</i> -GFP fusion protein in <i>Nicotiana benthamiana</i> by agro-infiltration | 82 |
| 3.4.2 Expression of <i>AtOPR5/6</i> -GFP fusion protein in <i>Arabidopsis</i> | 84 |
| 3.5 <i>AtOPR5/6</i> promoter activity..... | 86 |
| 3.6 Biochemical characterization of recombinant <i>AtOPR5/6</i> | 88 |

Table of Contents

| | | |
|-------|---|-----|
| 3.6.1 | Expression of <i>AtOPR5/6</i> recombinant protein in <i>E.coli</i> | 88 |
| 3.6.2 | Extraction and purification of <i>AtOPR5/6</i> recombinant proteins | 89 |
| 3.7 | Overcoming protein aggregation | 92 |
| 3.7.1 | Expression of <i>AtOPR5/6</i> recombinant protein in yeast | 94 |
| 3.7.2 | Improvement of <i>AtOPR5/6</i> solubility in <i>E. coli</i> by co-expression with molecular chaperones..... | 97 |
| 3.7.3 | Enhancement of <i>AtOPR5/6</i> protein solubility through the use of GST as fusion tag..... | 100 |
| 3.7.4 | Refolding of GST-tagged <i>AtOPR5/6</i> recombinant protein..... | 103 |
| 3.8 | Recombinant <i>AtOPR5/6</i> mediate resistance to paraquat..... | 105 |
| 3.9 | Enzyme activity assay..... | 108 |
| 4. | Discussion | 109 |
| 4.1 | The phenotype of <i>opr1</i> , 2, and 4 mutants and <i>AtOPR5/6</i> silenced plants.... | 110 |
| 4.2 | <i>Arabidopsis OPR</i> genes are stress inducible..... | 116 |
| 4.3 | <i>Arabidopsis OPRs</i> are probably RES detoxifying enzymes | 117 |
| 4.4 | Susceptibility to exogenous MVK treatments | 118 |
| 4.5 | <i>AtOPR5</i> | 120 |
| 4.6 | <i>AtOPR5</i> subcellular localization | 124 |
| 5. | Summary | 127 |
| 6. | Zusammenfassung..... | 129 |
| 7. | References..... | 131 |
| 8. | Acknowledgements..... | 157 |
| 9. | <i>Curriculum Vitae</i> | 159 |