




Nadja Liebig (Autor)

# The Role of Flavin-Dependent Oxidoreductases in Stress Tolerance and Detoxification of Reactive Carbonyls




UNIVERSITÄT HOHENHEIM  
SCHRIFTENREIHE ZUR PHYSIOLOGIE UND  
BIOTECHNOLOGIE DER PFLANZEN



Nadja Liebig

The Role of Flavin-Dependent Oxidoreductases in Stress Tolerance and Detoxification of Reactive Carbonyls

A. Schaller (Herausgeber) - Band 3



Cuvillier Verlag Göttingen  
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/6323>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



# Contents

<b>Summary</b>	<b>xv</b>
<b>Zusammenfassung</b>	<b>xvii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Biotic and abiotic stress in plants . . . . .	1
1.1.1 Reactive oxygen species (ROS) . . . . .	1
1.1.2 Protection from ROS . . . . .	3
1.1.3 ROS signaling . . . . .	4
1.1.4 Lipid peroxidation products . . . . .	6
1.1.5 RES scavengers . . . . .	8
1.1.6 RES as signaling molecules . . . . .	9
1.1.7 Reactive nitrogen species . . . . .	10
1.1.8 Cytoplasmic foci which develop under stress . . . . .	11
1.1.9 Stress memory . . . . .	14
1.2 Senescence . . . . .	15
1.3 The Old Yellow Enzyme family of flavoenzymes . . . . .	17
1.3.1 Homologs of OYEs in plants - OPRs . . . . .	18
1.3.2 Substrates for OPRs . . . . .	19
1.3.3 OPRs involved in jasmonic acid biosynthesis . . . . .	20
1.3.4 OPRs not involved in jasmonic acid biosynthesis . . . . .	21
1.4 Aim of this work . . . . .	24
<b>2 Materials and Methods</b>	<b>27</b>
2.1 Equipment . . . . .	27
2.2 Chemicals, enzymes and kits . . . . .	28
2.3 Antibodies . . . . .	28
2.4 Primers . . . . .	29
2.5 Plasmids . . . . .	30
2.6 Constructs . . . . .	31
2.7 Organisms . . . . .	36



## Contents

2.7.1	Plant material . . . . .	36
2.7.2	Bacteria strains . . . . .	37
2.7.3	Yeast strains . . . . .	38
2.8	Plant methods . . . . .	39
2.8.1	Cultivation on soil . . . . .	39
2.8.2	Cultivation on medium . . . . .	39
2.8.3	Preparation of mesophyll protoplasts . . . . .	40
2.8.4	Plasmolysis . . . . .	40
2.8.5	Crossing . . . . .	40
2.8.6	Microscopy . . . . .	41
2.8.7	Transformation . . . . .	41
2.8.8	Isolation of genomic DNA . . . . .	42
2.8.9	Isolation of total RNA . . . . .	42
2.8.10	Isolation of proteins . . . . .	43
2.8.11	Exposure to high-light stress . . . . .	43
2.8.12	Measurement of chlorophyll fluorescence . . . . .	44
2.8.13	Determination of TBARS . . . . .	44
2.8.14	Determination of anthocyanin content . . . . .	44
2.8.15	Dark-induced senescence . . . . .	44
2.8.16	Determination of chlorophyll content . . . . .	45
2.8.17	Spraying with paraquat . . . . .	45
2.8.18	DAB stain for visualization of H <sub>2</sub> O <sub>2</sub> production . . . . .	45
2.8.19	Evans blue stain to visualize cell death . . . . .	45
2.9	Bacteria methods . . . . .	46
2.9.1	Cultivation . . . . .	46
2.9.2	Transformation . . . . .	46
2.9.3	Plasmid DNA isolation . . . . .	47
2.9.4	Induction of heterologous protein expression . . . . .	47
2.9.5	Cell lysis for purification of recombinant proteins . . . . .	48
2.10	<i>Saccharomyces cerevisiae</i> methods . . . . .	48
2.10.1	Cultivation . . . . .	48
2.10.2	Transformation of chemically competent cells . . . . .	49
2.10.3	Isolation of plasmid DNA . . . . .	50
2.10.4	Isolation of RNA . . . . .	51
2.10.5	Isolation of proteins . . . . .	51
2.11	<i>Pichia pastoris</i> methods . . . . .	52
2.11.1	Cultivation . . . . .	52



2.11.2	Transformation . . . . .	52
2.11.3	Determining the Mut phenotype . . . . .	53
2.11.4	Induction of heterologous protein expression in flasks . . . . .	53
2.11.5	Fermentation and heterologous protein expression in a bioreactor . . . . .	55
2.11.6	Isolation of proteins . . . . .	55
2.12	Standard molecular methods . . . . .	56
2.12.1	Polymerase chain reaction (PCR) . . . . .	56
2.12.2	Reverse transcription PCR (RT-PCR) . . . . .	57
2.12.3	Estimation of nucleic acid concentration and purity . . . . .	57
2.12.4	Separation of DNA on agarose gels . . . . .	58
2.12.5	Cloning procedure . . . . .	58
2.12.6	Precipitation of proteins . . . . .	59
2.12.7	Denaturation and renaturation of proteins . . . . .	59
2.12.8	Ion exchange chromatography . . . . .	61
2.12.9	Affinity chromatography . . . . .	62
2.12.10	Digestion with factor X <sub>a</sub> . . . . .	62
2.12.11	Dialysis of proteins . . . . .	63
2.12.12	Enzyme activity test . . . . .	63
2.12.13	Determination of protein concentrations by Bradford assay . . . . .	63
2.12.14	Detection of FMN cofactor binding . . . . .	63
2.12.15	CD spectroscopy . . . . .	64
2.12.16	Denaturing SDS-polyacrylamide gel electrophoresis (SDS-PAGE) . . . . .	64
2.12.17	Western blot analysis . . . . .	65
2.12.18	Ponceau stain . . . . .	66
2.12.19	Coomassie stain . . . . .	67
2.12.20	Purification of inclusion bodies for production of antibodies . . . . .	67
2.12.21	Purification of antibodies . . . . .	67
<b>3</b>	<b>Results</b>	<b>69</b>
3.1	Function of OPR1, 2 and 4 <i>in vivo</i> . . . . .	69
3.1.1	Genetic complementation confirms the role of OPR1, 2 and 4 in protecting plants from damage during high-light stress . . . . .	69
3.1.2	Susceptibility of <i>opr1</i> , <i>2</i> and <i>4</i> to paraquat . . . . .	71
3.1.3	Involvement of <i>OPR4</i> in dark-induced leaf senescence . . . . .	74
3.1.4	Identification of substrates <i>in vivo</i> . . . . .	76
3.1.5	Metabolite analysis of <i>OPR</i> T-DNA insertion lines . . . . .	77
3.1.6	Detoxification of ROS and RES in yeast by OPR1, 2, 3, 4 and 5 . . . . .	81



3.2	Posttranscriptional regulation of <i>OPR4</i> . . . . .	84
3.3	Subcellular Localization of OPR1, 2 and 4 . . . . .	86
3.3.1	OPR1 and 2 are localized in the same compartment . . . . .	86
3.3.2	Dynamic changes in localization of OPR4 in onion epidermal cells . . . . .	89
3.3.3	Subcellular localization pattern of OPR4 in <i>Arabidopsis thaliana</i> . . . . .	94
3.3.4	Physiological relevance of the localization of OPR4 in spot-like structures . . . . .	100
3.4	Biochemical Characterization of OPR4 . . . . .	102
3.4.1	Expression of the recombinant protein in <i>E. coli</i> . . . . .	102
3.4.2	Expression of the recombinant protein in <i>Pichia pastoris</i> . . . . .	105
3.4.3	Denaturation and renaturation of OPR4 . . . . .	111
<b>4</b>	<b>Discussion</b>	<b>117</b>
4.1	Physiological function of OPR1, 2, 4, 5 and 6 . . . . .	119
4.1.1	High-light stress . . . . .	119
4.1.2	Oxidative stress . . . . .	121
4.1.3	Senescence . . . . .	122
4.1.4	Substrates and pathways . . . . .	123
4.2	Differences between the OPRs . . . . .	128
4.2.1	OPR1 and 2 . . . . .	130
4.2.2	OPR4 . . . . .	133
4.3	Additional members of the <i>AtOPR</i> family . . . . .	140
4.4	Conclusion . . . . .	140
	<b>Bibliography</b>	<b>143</b>
	<b>Erklärung</b>	<b>163</b>
	<b>Acknowledgements</b>	<b>165</b>